

Anti-Guinea Pig IgG (H&L) (Peroxidase Conjugated) Secondary Antibody

Goat Polyclonal, Peroxidase (Horseradish)
Catalog # ASR1898

Specification

Anti-Guinea Pig IgG (H&L) (Peroxidase Conjugated) Secondary Antibody - Product Information

Description Anti-GUINEA PIG IgG (H&L) (GOAT)
Antibody Peroxidase Conjugated

Host Goat

Conjugate Goat
Peroxidase (Horseradish)

Target Species

Reactivity

Clonality

Application

Guinea Pig

Guinea Pig

Polyclonal

1,10,15,

Application Note ELISA 1:200,000;Western Blot

1:1,000-1:10,000;Immunochemistry 1:500-1:2,500

Physical State
Host Isotype
Lyophilized
IgG

Target Isotype IgG (H&L)
Buffer 0.02 M Potassium Phosphate, 0.15 M

Sodium Chloride, pH 7.2

Immunogen

Anti-Guinea Pig IgG whole molecule was produced by repeated immunization with Guinea Pig IgG whole molecule in goat.

Reconstitution Volume
Reconstitution Buffer

1.0 mL
Restore with deionized water (or

equivalent)
Stabilizer

10 mg/mL Bovine Serum Albumin (BSA) -

Immunoglobulin and Protease free

Preservative 0.01% (w/v) Gentamicin Sulfate. Do NOT

add Sodium Azide!

Anti-Guinea Pig IgG (H&L) (Peroxidase Conjugated) Secondary Antibody - Additional Information

Shipping Condition

Ambient

Purity

This product was prepared from monospecific antiserum by immunoaffinity chromatography using Guinea Pig IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Peroxidase, anti-Goat Serum, Guinea Pig IgG and Guinea Pig Serum.

Storage Condition

Store vial at 4° C prior to restoration. For extended storage aliquot contents and freeze at -20° C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted



liquid. Dilute only prior to immediate use.

Precautions Note

This product is for research use only and is not intended for therapeutic or diagnostic applications.

Anti-Guinea Pig IgG (H&L) (Peroxidase Conjugated) Secondary Antibody - Protein Information

Anti-Guinea Pig IgG (H&L) (Peroxidase Conjugated) Secondary Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

Anti-Guinea Pig IgG (H&L) (Peroxidase Conjugated) Secondary Antibody - Images

Anti-Guinea Pig IgG (H&L) (Peroxidase Conjugated) Secondary Antibody - Background

Anti-Guinea Pig IgG whole molecule antibody generated in goat detects specifically Guinea Pig IgG whole molecule. This secondary antibody anti-Guinea Pig is ideal for investigators who routinely perform ELISA, Sandwich ELISA, titration assays, western-blot, immunoprecipitation and more generally immunoassays.