

Anti-MOUSE IgG (H&L) (Alkaline Phosphatase Conjugated) Secondary Antibody

Goat Polyclonal, Alkaline Phosphatase (Calf Intestine) Catalog # ASR2197

Specification

Anti-MOUSE IgG (H&L) (Alkaline Phosphatase Conjugated) Secondary Antibody - Product Information

| Description Host Conjugate Target Species Clonality Application Application Note | Anti-MOUSE IgG (H&L) (GOAT) Antibody Alkaline Phosphatase Conjugated Goat Alkaline Phosphatase (Calf Intestine) Mouse Polyclonal WB, E, IC ELISA 1:15,000;Western Blot 1:1,000-1:4,000;Immunochemistry 1:200-1:1,000 |
|--|---|
| Physical State Host Isotype Target Isotype Buffer | Liquid (sterile filtered) IgG IgG (H&L) 0.05 M Tris Chloride, 0.15M Sodium Chloride, 0.001M Magnesium Chloride, 0.0001M Zinc Chloride, 50% (v/v) Glycerol; pH 8.0 |
| Immunogen Stabilizer Preservative | Mouse IgG whole molecule 10 mg/mL Bovine Serum Albumin (BSA) - Immunoglobulin and Protease free 0.1% (w/v) Sodium Azide |

Anti-MOUSE IgG (H&L) (Alkaline Phosphatase Conjugated) Secondary Antibody -Additional Information

Shipping Condition Wet Ice

Purity

Anti-Mouse Conjugated Secondary Antibody was prepared from monospecific antiserum by immunoaffinity chromatography using Mouse IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Alkaline Phosphatase (calf intestine), anti-Goat Serum, Mouse IgG and Mouse Serum.

Storage Condition

Store secondary antibody conjugate at 4° C before opening. DO NOT FREEZE. This product is stable at 4° C as an undiluted liquid. Dilute only prior to immediate use. Freezing alkaline phosphatase conjugates will result in a substantial loss of enzymatic activity.

Precautions Note

This product is for research use only and is not intended for therapeutic or diagnostic applications.




Anti-MOUSE IgG (H&L) (Alkaline Phosphatase Conjugated) Secondary Antibody - Protein Information

Anti-MOUSE IgG (H&L) (Alkaline Phosphatase Conjugated) Secondary Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- <u>Cell Culture</u>

Anti-MOUSE IgG (H&L) (Alkaline Phosphatase Conjugated) Secondary Antibody - Images



Western Blot of Alkaline Phosphatase Conjugated Goat Anti-Mouse IgG Antibody Lane 1: Mouse IgG Load: 100 ng per lane Secondary antibody: Alkaline Phosphatase Conjugated Goat Anti-Mouse IgG Antibody at 1:1000 for 60 min at RT Block: MB-070 for 30 min RT Predicted/Observed size: 55 and 28 kDa, 55 and 28 kDa

Anti-MOUSE IgG (H&L) (Alkaline Phosphatase Conjugated) Secondary Antibody -Background

Mouse secondary antibody conjugated to Alkaline Phosphatase is available in a variety of formats. Anti IgG secondary antibody conjugate is suitable for ELISA, Immunohistochemistry, Western Blotting as well as other Alkaline Phosphatase antibody based assays.