

Fab Anti-Rabbit IgG (H&L) (Biotin Conjugated) Secondary Antibody

Goat Polyclonal, Biotin Catalog # ASR2293

Specification

Physical State

Fab Anti-Rabbit IgG (H&L) (Biotin Conjugated) Secondary Antibody - Product Information

Description F(ab) Anti-RABBIT IgG (H&L) (GOAT)

Antibody Biotin Conjugated

Host Goat **Biotin** Conjugate **Target Species** Rabbit Clonality **Polyclonal** Application ,1,10,15,

Application Note ELISA 1:90,000; Western Blot

1:2,000-1:10,000; Immunochemistry

1:1,000-1:5,000 Lyophilized IgG F(ab)

Host Isotype IaG (H&L) Target Isotype Buffer

0.02 M Potassium Phosphate, 0.15 M

Sodium Chloride, pH 7.2 Rabbit IgG whole molecule

Immunogen

Reconstitution Volume 1.0 mL

Reconstitution Buffer Restore with deionized water (or

equivalent)

Stabilizer 10 mg/mL Bovine Serum Albumin (BSA) -

Immunoglobulin and Protease free

Preservative 0.01% (w/v) Sodium Azide

Fab Anti-Rabbit IgG (H&L) (Biotin Conjugated) Secondary Antibody - Additional Information

Shipping Condition

Ambient

Purity

This product was prepared from monospecific antiserum by immunoaffinity chromatography using Rabbit IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities, papain digestion and chromatographic separation. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Biotin and anti-Goat Serum. No reaction was observed against anti-Papain or anti-Goat IgG F(c).

Storage Condition

Store vial at 4° C prior to restoration. For extended storage aliquot contents and freeze at -20° C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use.

Precautions Note

This product is for research use only and is not intended for therapeutic or diagnostic applications.

Fab Anti-Rabbit IgG (H&L) (Biotin Conjugated) Secondary Antibody - Protein Information

Fab Anti-Rabbit IgG (H&L) (Biotin Conjugated) Secondary Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

Fab Anti-Rabbit IgG (H&L) (Biotin Conjugated) Secondary Antibody - Images