

# Anti-Dog IgG F(ab')2 Secondary Antibody

Rabbit Polyclonal, Unconjugated Catalog # ASR2323

#### **Specification**

### Anti-Dog IgG F(ab')2 Secondary Antibody - Product Information

Description Anti-DOG IgG F(ab')2 (RABBIT)

Antibody Rabbit

Host Rabbit Conjugate Unconjugated

Target Species
Clonality
Application
Dog
Polyclonal
1,10,15,

Application Note ELISA 1:20,000-1:100,000; Western Blot

1:2,000-1:10,000;Immunochemistry

1:1,000-1:5,000

Physical State Liquid (sterile filtered)

Host Isotype IgG

Target Isotype IgG F(ab')2

Buffer 0.02 M Potassium Phosphate, 0.15 M

Sodium Chloride, pH 7.2

Immunogen Dog IgG F(ab')2 fragment

#### Anti-Dog IgG F(ab')2 Secondary Antibody - Additional Information

## **Shipping Condition**

Wet Ice

### **Purity**

This product was prepared from monospecific antiserum by immunoaffinity chromatography using Dog IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Goat Serum, Dog IgG, Dog IgG F(ab')2 and Dog Serum. No reaction was observed against Dog IgG F(ab')2.

#### **Storage Condition**

Store vial at 4° C prior to opening. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use. For extended storage aliquot contents and freeze at -20° C or below. Avoid cycles of freezing and thawing.

#### **Precautions Note**

This product is for research use only and is not intended for therapeutic or diagnostic applications.

### Anti-Dog IgG F(ab')2 Secondary Antibody - Protein Information

## Anti-Dog IgG F(ab')2 Secondary Antibody - Protocols







Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

Anti-Dog IgG F(ab')2 Secondary Antibody - Images