

# Anti-Human IgM (Fc5u) (Biotin Conjugated) Secondary Antibody Rabbit Polyclonal, Biotin

Catalog # ASR2475

### Specification

# Anti-Human IgM (Fc5u) (Biotin Conjugated) Secondary Antibody - Product Information

Description

- Host Conjugate Target Species Clonality Application Application Note
- Physical State Host Isotype Target Isotype Buffer

Immunogen Reconstitution Volume Reconstitution Buffer

Stabilizer

Preservative

Anti-HUMAN IgM (Fc5u) (RABBIT) Antibody **Biotin Conjugated Rabbit Biotin** Human Polyclonal ,1,2,10, ELISA 1:20,000-1:100,000;Western Blot 1:2,000-1:10,000;Immunohistochemistry 1:1,000-1:5,000 Lyophilized laG lgM Fc5 μ 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2 Human IgM Fc5 µ fragment 1.0 mL Restore with deionized water (or equivalent) 10 mg/mL Bovine Serum Albumin (BSA) -**Immunoglobulin and Protease free** 0.01% (w/v) Sodium Azide

### Anti-Human IgM (Fc5u) (Biotin Conjugated) Secondary Antibody - Additional Information

Shipping Condition Ambient

#### Purity

This product was prepared from monospecific antiserum by immunoaffinity chromatography using Human IgM coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-biotin, anti-Rabbit Serum, Human IgM and Human Serum. No reaction was observed against Human IgG or Human IgA.

#### **Storage Condition**

Store vial at 4° C prior to restoration. For extended storage aliquot contents and freeze at -20° C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use.

#### **Precautions Note**

This product is for research use only and is not intended for therapeutic or diagnostic applications.



## Anti-Human IgM (Fc5u) (Biotin Conjugated) Secondary Antibody - Protein Information

### Anti-Human IgM (Fc5u) (Biotin Conjugated) Secondary Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- <u>Western Blot</u>
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- <u>Cell Culture</u>

# Anti-Human IgM (Fc5u) (Biotin Conjugated) Secondary Antibody - Images