

Anti-Human IgG (H&L) (Texas Red™ Conjugated) Secondary Antibody

Mouse Polyclonal, Texas Red® Catalog # ASR2696

Specification

Anti-Human IgG (H&L) (Texas Red™ Conjugated) Secondary Antibody - Product **Information**

Description Anti-HUMAN IgG (H&L) (MOUSE) Antibody

Texas Red™ Conjugated

Host Mouse Conjugate **Texas Red® Target Species** Human Reactivity Human Clonality **Polyclonal Physical State** Lyophilized Host Isotype

IqG

IgG (H&L) Target Isotype

Buffer 0.02 M Potassium Phosphate, 0.15 M

> Sodium Chloride, pH 7.2 **Human IgG whole molecule**

1.0 mL

Reconstitution Buffer Restore with deionized water (or

equivalent)

Stabilizer 10 mg/mL Bovine Serum Albumin (BSA) -

Immunoglobulin and Protease free

Preservative 0.01% (w/v) Sodium Azide

Anti-Human IgG (H&L) (Texas Red™ Conjugated) Secondary Antibody - Additional **Information**

Shipping Condition

Ambient

Immunogen

Reconstitution Volume

Purity

This product was prepared from monospecific polyclonal ascites by immunoaffinity chromatography using Human IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Mouse Serum, Human IgG and Human Serum.

Storage Condition

Store vial at 4° C prior to restoration. For extended storage aliquot contents and freeze at -20° C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use.

Precautions Note

This product is for research use only and is not intended for therapeutic or diagnostic applications.

Anti-Human IgG (H&L) (Texas Red™ Conjugated) Secondary Antibody - Protein



Information

Anti-Human IgG (H&L) (Texas Red™ Conjugated) Secondary Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

Anti-Human IgG (H&L) (Texas Red™ Conjugated) Secondary Antibody - Images