

Anti-Mouse IgM (mu chain) (Peroxidase Conjugated) Secondary Antibody

Goat Polyclonal, Peroxidase (Horseradish)
Catalog # ASR2845

Specification

Anti-Mouse IgM (mu chain) (Peroxidase Conjugated) Secondary Antibody - Product Information

Description Anti-MOUSE IgM (mu chain) (GOAT)
Antibody Peroxidase Conjugated

Host Goat

Conjugate Peroxidase (Horseradish)

Target Species
Reactivity
Mouse
Clonality
Application
Mouse
Mouse
Polyclonal
WB, E, IC

Application Note ELISA 1:30,000;Western Blot

1:1,000-1:5,000;Immunochemistry 1:500-1:2,000

Physical State
Host Isotype
Target Isotype
Lyophilized
IgG
IgM µ chain

Buffer 0.02 M Potassium Phosphate, 0.15 M

Sodium Chloride, pH 7.2

Immunogen Anti-Mouse IgM (mu chain) was produced

by repeated immunization with mouse IgM

mu heavy chain in goat.

Reconstitution Volume 1.0 mL

Reconstitution Buffer Restore with deionized water (or

equivalent)

Stabilizer 10 mg/mL Bovine Serum Albumin (BSA) -

Immunoglobulin and Protease free

Preservative 0.01% (w/v) Gentamicin Sulfate. Do NOT

add Sodium Azide!

Anti-Mouse IgM (mu chain) (Peroxidase Conjugated) Secondary Antibody - Additional Information

Shipping Condition

Ambient

Purity

This product was prepared from monospecific antiserum by immunoaffinity chromatography using Mouse IgM coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Peroxidase, anti-Goat Serum, Mouse IgM and Mouse Serum. Specificity was confirmed by ELISA at less than 1% cross reactivity against other Mouse heavy chain isotypes.

Storage Condition

Store vial at 4° C prior to restoration. For extended storage aliquot contents and freeze at -20° C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after



standing at room temperature. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use.

Precautions Note

This product is for research use only and is not intended for therapeutic or diagnostic applications.

Anti-Mouse IgM (mu chain) (Peroxidase Conjugated) Secondary Antibody - Protein Information

Anti-Mouse IgM (mu chain) (Peroxidase Conjugated) Secondary Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

Anti-Mouse IgM (mu chain) (Peroxidase Conjugated) Secondary Antibody - Images

Anti-Mouse IgM (mu chain) (Peroxidase Conjugated) Secondary Antibody - Background

Anti-Mouse IgM (mu chain) peroxidase conjugated antibody generated in goat detects specifically mouse IgM. This secondary peroxidase conjugated antibody anti-Mouse is ideal for investigators who routinely perform titration assays, western-blot, immunoprecipitation and more generally immunoassays.