

Anti-Bovine IgM mu chain (Fluorescein Conjugated) Secondary Antibody

Rabbit Polyclonal, Fluorescein (FITC) Catalog # ASR2904

Specification

Target Species

Physical State

Target Isotype

Host Isotype

Immunogen

Stabilizer

Preservative

Buffer

Clonality

Anti-Bovine IgM mu chain (Fluorescein Conjugated) Secondary Antibody - Product **Information**

Description Anti-BOVINE IgM mu chain (RABBIT)

Antibody Fluorescein Conjugated Rabbit Host

Conjugate Fluorescein (FITC)

FP Value 5.2 moles Fluorescein (FITC) per mole of

> **Bovine Polyclonal**

Application IF, FC FLISA 1:10,000-1:50,000;IF Microscopy **Application Note**

1:1,000-1 | 5,000; Flow Cytometry

1:500-1:2,500 Lyophilized

IqG

IgM μ chain

0.02 M Potassium Phosphate, 0.15 M

Sodium Chloride, pH 7.2 Bovine IgM mu heavy chain

2.0 mL

Restore with deionized water (or

equivalent)

10 mg/ml Polyethylene Glycol (PEG-8000)

0.01% (w/v) Sodium Azide

Anti-Bovine IgM mu chain (Fluorescein Conjugated) Secondary Antibody - Additional **Information**

Shipping Condition

Reconstitution Volume

Reconstitution Buffer

Ambient

Purity

This product is an IgG fraction antibody purified from monospecific antiserum by a multi-step process which includes delipidation, salt fractionation and ion exchange chromatography followed by extensive dialysis against the buffer stated above. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Rabbit Serum, Bovine IgM and Bovine Serum. No reaction was observed against Bovine IgG.

Storage Condition

Store vial at 4° C prior to restoration. For extended storage aliquot contents and freeze at -20° C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use.



Precautions Note

This product is for research use only and is not intended for therapeutic or diagnostic applications.

Anti-Bovine IgM mu chain (Fluorescein Conjugated) Secondary Antibody - Protein Information

Anti-Bovine IgM mu chain (Fluorescein Conjugated) Secondary Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

Anti-Bovine IgM mu chain (Fluorescein Conjugated) Secondary Antibody - Images

Anti-Bovine IgM mu chain (Fluorescein Conjugated) Secondary Antibody - Background

This product is designed for immunofluorescence microscopy, fluorescence based plate assays (FLISA) and fluorescent western blotting. This product is also suitable for multiplex analysis, including multicolor imaging, utilizing various commercial platforms.