

F(ab')2 Anti-Human IgM Fc5μ (Rhodamine Conjugated) Secondary Antibody

Goat Polyclonal, Rhodamine (TRITC)
Catalog # ASR2986

Specification

F(ab')2 Anti-Human IgM $Fc5\mu$ (Rhodamine Conjugated) Secondary Antibody - Product Information

Description F(ab')2 Anti-HUMAN IgM Fc5 μ
(GOAT) Antibody Rhodamine Conjugated

Host Goat

Conjugate Rhodamine (TRITC)

Target Species

Clonality

Physical State

Host Isotype

Target Isotype

Target Isotype

Human

Polyclonal

Lyophilized

IgG F(ab')2

IgM Fc5 µ

Buffer 0.02 M Potassium Phosphate, 0.15 M

Sodium Chloride, pH 7.2
Immunogen

Human IgM Fc5 μ fragment

Reconstitution Volume 1.0 mL

Reconstitution Buffer Restore with deionized water (or

equivalent)

Stabilizer 10 mg/mL Bovine Serum Albumin (BSA) -

Immunoglobulin and Protease free

Preservative 0.01% (w/v) Sodium Azide

F(ab')2 Anti-Human IgM Fc5μ (Rhodamine Conjugated) Secondary Antibody - Additional Information

Shipping Condition

Ambient

Purity

This product was prepared from monospecific antiserum by immunoaffinity chromatography using Human IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities, pepsin digestion and chromatographic separation. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Goat Serum, Human IgM and Human Serum. No reaction was observed against anti-Pepsin, anti-Goat IgG F(c), Human IgA or Human IgG.

Storage Condition

Store vial at 4° C prior to restoration. For extended storage aliquot contents and freeze at -20° C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use.

Precautions Note

This product is for research use only and is not intended for therapeutic or diagnostic applications.



F(ab')2 Anti-Human IgM $Fc5\mu$ (Rhodamine Conjugated) Secondary Antibody - Protein Information

F(ab')2 Anti-Human IgM Fc5μ (Rhodamine Conjugated) Secondary Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

F(ab')2 Anti-Human IgM Fc5μ (Rhodamine Conjugated) Secondary Antibody - Images

F(ab')2 Anti-Human IgM Fc5μ (Rhodamine Conjugated) Secondary Antibody - Background

This product is designed for immunofluorescence microscopy, fluorescence based plate assays (FLISA) and fluorescent western blotting. This product is also suitable for multiplex analysis, including multicolor imaging, utilizing various commercial platforms.