

## **Bovine IgG F(c) Peroxidase**

Catalog # ASR3070

## **Specification**

Conjugate

Buffer

Stabilizer

Preservative

**Physical State** 

Species of Origin

Reconstitution Volume

Reconstitution Buffer

Host Isotype

## **Bovine IgG F(c) Peroxidase - Product Information**

Description BOVINE IgG F(c) fragment Peroxidase

conjugated

Peroxidase (Horseradish)

Lyophilized IgG F(c)

0.02 M Potassium Phosphate, 0.15 M

Sodium Chloride, pH 7.2

Bovine 1.0 mL

Restore with deionized water (or

equivalent)

10 mg/ml Polyethylene Glycol (PEG-8000) 0.01% (w/v) Gentamicin Sulfate. Do NOT

add Sodium Azide!

## **Bovine IgG F(c) Peroxidase - Additional Information**

# **Shipping Condition**

**Ambient** 

#### Purity

This product was prepared from normal serum by delipidation, salt fractionation, ion exchange chromatography followed by papain digestion and extensive dialysis against the buffer stated above. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Peroxidase, anti-Bovine  $\lg G$ , anti-Bovine  $\lg G$  F(c) and anti-Bovine Serum. No reaction was observed against anti-Bovine  $\lg G$  F(ab')2 or anti-Papain.

### **Storage Condition**

Store vial at 4° C prior to restoration. For extended storage aliquot contents and freeze at -20° C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use.

# **Precautions Note**

This product is for research use only and is not intended for therapeutic or diagnostic applications.

## **Bovine IgG F(c) Peroxidase - Protein Information**

## **Bovine IgG F(c) Peroxidase - Protocols**

Provided below are standard protocols that you may find useful for product applications.



Tel: 858.875.1900 Fax: 858.875.1999



- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

**Bovine IgG F(c) Peroxidase - Images**