

## F(ab')2 Anti-Rabbit IgG (H&L) (Fluorescein Conjugated) Pre-Adsorbed Secondary Antibody

Donkey Polyclonal, Fluorescein (FITC) Catalog # ASR3168

#### **Specification**

# F(ab')2 Anti-Rabbit IgG (H&L) (Fluorescein Conjugated) Pre-Adsorbed Secondary Antibody - Product Information

Description F(ab')2 Anti-RABBIT IgG [H&L]

(DONKEY) Antibody Fluorescein

Conjugated Min X By Ch Gt GP Ham Hs Hu

Ms Rt & Sh Serum Proteins

Host **Donkey** 

Conjugate Fluorescein (FITC)

FP Value 4.5 moles Fluorescein (FITC) per mole of

IgG F(ab')2

Target Species
Clonality
Application
Rabbit
Polyclonal
,3,4,

Application Note FLISA 1:10,000-1:50,000;IF Microscopy

1:1,000-1:5,000;FlowCytometry

Physical State
Host Isotype
Target Isotype

1:500-1:2,500
Lyophilized
IgG F(ab')2
IgG (H&L)

Target Isotype IgG (H&L)
Buffer 0.02 M Pot

Suffer 0.02 M Potassium Phosphate, 0.15 M

Sodium Chloride, pH 7.2 Rabbit IgG whole molecule

Reconstitution Volume 500 uL

Reconstitution Buffer Restore with deionized water (or

equivalent)

Stabilizer 10 mg/mL Bovine Serum Albumin (BSA) -

Immunoglobulin and Protease free

Preservative 0.01% (w/v) Sodium Azide

## F(ab')2 Anti-Rabbit IgG (H&L) (Fluorescein Conjugated) Pre-Adsorbed Secondary Antibody - Additional Information

**Shipping Condition Ambient** 

#### **Purity**

Immunogen

This product was prepared from monospecific antiserum by immunoaffinity chromatography using Rabbit IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities, pepsin digestion and chromatographic separation. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Fluorescein, anti-Donkey Serum, Rabbit IgG and Rabbit Serum. No reaction was observed against anti-Pepsin, anti-Donkey IgG F(c) or Bovine, Chicken, Goat, Guinea Pig, Hamster, Horse, Human, Mouse, Rat and Sheep Serum Proteins.



#### **Storage Condition**

Store vial at 4° C prior to restoration. For extended storage aliquot contents and freeze at -20° C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use.

#### **Precautions Note**

This product is for research use only and is not intended for therapeutic or diagnostic applications.

### F(ab')2 Anti-Rabbit IgG (H&L) (Fluorescein Conjugated) Pre-Adsorbed Secondary **Antibody - Protein Information**

#### F(ab')2 Anti-Rabbit IgG (H&L) (Fluorescein Conjugated) Pre-Adsorbed Secondary Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

F(ab')2 Anti-Rabbit IqG (H&L) (Fluorescein Conjugated) Pre-Adsorbed Secondary Antibody - Images

### F(ab')2 Anti-Rabbit IgG (H&L) (Fluorescein Conjugated) Pre-Adsorbed Secondary Antibody - Background

This product is designed for immunofluorescence microscopy, fluorescence based plate assays (FLISA) and fluorescent western blotting. This product is also suitable for multiplex analysis, including multicolor imaging, utilizing various commercial platforms.