

Anti-Mouse IgG (H&L) Pre-Adsorbed Secondary Antibody

Goat Polyclonal, Unconjugated Catalog # ASR3325

Specification

Anti-Mouse IgG (H&L) Pre-Adsorbed Secondary Antibody - Product Information

Description Anti-MOUSE IgG (H&L) (GOAT) Antibody

(Min X Rat Serum Proteins)

Host Goat

Conjugate Unconjugated

Target Species Mouse
Reactivity Mouse
Clonality Polyclonal
Application ,1,10,15,

Application Note ELISA 1:200,000-1:900,000; Western Blot

1:20,000-1:90,000;Immunochemistry

1:10,000-1:45,000

Physical State Liquid (sterile filtered)

Host Isotype IgG

Target Isotype IgG (H&L)

Buffer 0.02 M Potassium Phosphate, 0.15 M

Sodium Chloride, pH 7.2

Immunogen Mouse IgG whole molecule

Stabilizer None

Preservative 0.01% (w/v) Sodium Azide

Anti-Mouse IgG (H&L) Pre-Adsorbed Secondary Antibody - Additional Information

Shipping Condition

Wet Ice

Purity

This product was prepared from monospecific antiserum by immunoaffinity chromatography using Mouse IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Goat Serum, Mouse IgG and Mouse Serum. No reaction was observed against Rat Serum Proteins. Specificity was confirmed by ELISA at less than 1% of target signal.

Storage Condition

Store vial at 4° C prior to opening. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use. For extended storage, aliquot contents and freeze at -20° C or below. Avoid cycles of freezing and thawing.

Precautions Note

This product is for research use only and is not intended for therapeutic or diagnostic applications.

Anti-Mouse IgG (H&L) Pre-Adsorbed Secondary Antibody - Protein Information



Anti-Mouse IgG (H&L) Pre-Adsorbed Secondary Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

Anti-Mouse IgG (H&L) Pre-Adsorbed Secondary Antibody - Images