

Anti-Dog IgG Secondary Antibody
Rabbit Polyclonal, Unconjugated
Catalog # ASR3330**Specification**

Anti-Dog IgG Secondary Antibody - Product Information

Description	Anti-DOG IgG (RABBIT) Antibody
Host	Rabbit
Conjugate	Unconjugated
Target Species	Dog
Clonality	Polyclonal
Application	,10,
Application Note	ELISA 1:200,000
Physical State	Liquid (sterile filtered)
Host Isotype	IgG
Target Isotype	IgG (H&L)
Buffer	0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2
Immunogen	Dog IgG whole molecule
Species of Origin	rabbit
Stabilizer	None
Preservative	0.01% (w/v) Sodium Azide

Anti-Dog IgG Secondary Antibody - Additional Information**Shipping Condition**

Wet Ice

Purity

Anti-Dog IgG (H&L) antibody was purified from concentrated monospecific antiserum by immunoaffinity chromatography using Dog IgG coupled to agarose beads followed by solid phase adsorption to remove any unwanted reactivities. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Rabbit Serum, Dog IgG and Dog Serum.

Storage Condition

Store vial at 4° C prior to opening. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use. For extended storage aliquot contents and freeze at -20° C or below. Avoid cycles of freezing and thawing.

Precautions Note

This product is for research use only and is not intended for therapeutic or diagnostic applications.

Anti-Dog IgG Secondary Antibody - Protein Information**Anti-Dog IgG Secondary Antibody - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

Anti-Dog IgG Secondary Antibody - Images

Anti-Dog IgG Secondary Antibody - Background

Dog IgG (H&L) antibody was purified from concentrated monospecific antiserum by immunoaffinity chromatography using Dog IgG coupled to agarose beads followed by solid phase adsorption to remove any unwanted reactivities. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Rabbit Serum, Dog IgG and Dog Serum. Anti-Dog IgG (H&L) antibody is ideal for investigators involved in serum component protein research.