

Anti-Rabbit IgG (H&L) Secondary Antibody

Goat Polyclonal, Unconjugated Catalog # ASR3537

Specification

Physical State

Anti-Rabbit IgG (H&L) Secondary Antibody - Product Information

Description Anti-RABBIT IgG (H&L) (GOAT) Antibody

Host Goat

Conjugate Unconjugated

Target Species
Reactivity
Rabbit
Clonality
Application
Rabbit
Rubit
Rubi

Application Note ELISA 1:50,000; Western Blot

1:5,000-1:25,000;Immunochemistry

1:1,000-1:5,000 Lyophilized

Host Isotype IgG

Target Isotype IgG (H&L)

Buffer 0.02 M Potassium Phosphate, 0.15 M

Sodium Chloride, pH 7.2

Immunogen Anti-Rabbit IgG whole molecule was

produced by repeated immunization with

Rabbit IgG whole molecule in goat.

Reconstitution Volume 5.0 mL

Reconstitution Buffer Restore with deionized water (or

equivalent)

Stabilizer None

Preservative 0.01% (w/v) Sodium Azide

Anti-Rabbit IgG (H&L) Secondary Antibody - Additional Information

Shipping Condition

Ambient

Purity

This product is an IgG fraction antibody purified from monospecific antiserum by a multi-step process which includes delipidation, salt fractionation and ion exchange chromatography followed by extensive dialysis against the buffer stated above. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Goat Serum, Rabbit IgG and Rabbit Serum.

Storage Condition

Store vial at 4° C prior to restoration. For extended storage aliquot contents and freeze at -20° C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use.

Precautions Note

This product is for research use only and is not intended for therapeutic or diagnostic applications.



Anti-Rabbit IgG (H&L) Secondary Antibody - Protein Information

Anti-Rabbit IgG (H&L) Secondary Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

Anti-Rabbit IgG (H&L) Secondary Antibody - Images

Anti-Rabbit IgG (H&L) Secondary Antibody - Background

Anti-Rabbit IgG whole molecule antibody generated in goat detects specifically Rabbit IgG whole molecule. This secondary antibody anti-Rabbit is ideal for investigators who routinely perform ELISA, Sandwich ELISA, titration assays, western-blot, immunoprecipitation and more generally immunoassays.