

Anti-Armenian Hamster IgG (H&L) Secondary Antibody

Goat Polyclonal, Unconjugated Catalog # ASR3552

Specification

Physical State

Anti-Armenian Hamster IgG (H&L) Secondary Antibody - Product Information

Description Anti-ARMENIAN HAMSTER IgG (H&L)

(GOAT) Antibody

Host Goat

Conjugate Unconjugated
Target Species Armenian Hamster

Reactivity
Clonality
Application
Hamster
Polyclonal
WB, IHC, E

Application Note ELISA 1:20,000-1:100,000;Western Blot

1:2,000-1:10,000;Immunohistochemistry

1:1,000-1:5,000 Lyophilized

Host Isotype IgG

Target Isotype IgG (H&L)

Buffer 0.02 M Potassium Phosphate, 0.15 M

Sodium Chloride, pH 7.2

Immunogen Armenian Hamster IgG whole molecule

5.0 mL

Reconstitution Buffer Restore with deionized water (or

equivalent)

Stabilizer None

Preservative 0.01% (w/v) Sodium Azide

Anti-Armenian Hamster IgG (H&L) Secondary Antibody - Additional Information

Shipping Condition

Reconstitution Volume

Ambient

Purity

This product is an IgG fraction antibody purified from monospecific antiserum by a multi-step process which includes delipidation, salt fractionation and ion exchange chromatography followed by extensive dialysis against the buffer stated above. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Goat Serum, Armenian Hamster IgG and Armenian Hamster Serum. Greatly reduced reactivity will occur against Golden Syrian Hamster IgG.

Storage Condition

Store vial at 4° C prior to restoration. For extended storage aliquot contents and freeze at -20° C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use.

Precautions Note

This product is for research use only and is not intended for therapeutic or diagnostic applications.



Anti-Armenian Hamster IgG (H&L) Secondary Antibody - Protein Information

Anti-Armenian Hamster IgG (H&L) Secondary Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

Anti-Armenian Hamster IgG (H&L) Secondary Antibody - Images

Anti-Armenian Hamster IgG (H&L) Secondary Antibody - Background

Secondary antibody to hamster IgG is available in a variety of formats. Anti-IgG Secondary Antibody is suitable for western blot, ELISA, ChIP and immunohistochemistry as well as other antibody based assays requiring lot-to-lot consistency.