

Goat IgG F(c) (BULK ORDER)
Catalog # ASR3565**Specification****Goat IgG F(c) (BULK ORDER) - Product Information**

| | |
|-------------------|---|
| Description | GOAT IgG F(c) fragment (BULK ORDER) |
| Conjugate | Unconjugated |
| Physical State | Lyophilized |
| Host Isotype | IgG F(c) |
| Buffer | 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2 |
| Species of Origin | Goat |
| Stabilizer | None |
| Preservative | 0.01% (w/v) Sodium Azide |

Goat IgG F(c) (BULK ORDER) - Additional Information**Shipping Condition**

Wet Ice

Purity

This product was prepared from normal serum by a multi-step process which includes delipidation, salt fractionation, ion exchange chromatography and papain digestion followed by chromatographic separation and extensive dialysis against the buffer stated above. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Goat Serum, anti-Goat IgG and anti-Goat IgG F(c). No reaction was observed against anti-Goat IgG F(ab')₂ or anti-Papain.

Storage Condition

Store vial at 4° C prior to restoration. Restore with 1.0 mL of deionized water (or equivalent). For extended storage aliquot contents and freeze at -20° C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use.

Precautions Note

This product is for research use only and is not intended for therapeutic or diagnostic applications.

Goat IgG F(c) (BULK ORDER) - Protein Information**Goat IgG F(c) (BULK ORDER) - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)

- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

Goat IgG F(c) (BULK ORDER) - Images