

**Anti-FRUCTOSE-6-PHOSPHATE KINASE (Rabbit Muscle) (GOAT) Antibody**  
**Fructose-6-Phosphate Kinase Antibody**  
**Catalog # ASR3635****Specification****Anti-FRUCTOSE-6-PHOSPHATE KINASE (Rabbit Muscle) (GOAT) Antibody - Product Information**

Host	Goat
Conjugate	Unconjugated
Target Species	Rabbit
Reactivity	Rabbit
Clonality	Polyclonal
Application	WB, E, I, LCI
Application Note	This antibody suitable for use in ELISA, immunofluorescence microscopy and western blot. Specific conditions for reactivity should be optimized by the end user. Expect a band approximately 48 kDa in size corresponding to the processed mature form of F6PK protein by western blotting in the appropriate cell lysate or extract.
Physical State	Lyophilized
Buffer	0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2
Immunogen	Fructose-6-Phosphate Kinase [Rabbit Muscle]
Reconstitution Volume	2.0 mL
Reconstitution Buffer	Restore with deionized water (or equivalent)
Preservative	0.01% (w/v) Sodium Azide

**Anti-FRUCTOSE-6-PHOSPHATE KINASE (Rabbit Muscle) (GOAT) Antibody - Additional Information****Other Names**

100345647

**Purity**

This product was prepared from monospecific antiserum by a delipidation and defibrination. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-goat serum, purified and partially purified Fructose-6-Phosphate Kinase [Rabbit Muscle]. Cross reactivity against Fructose-6-Phosphate Kinase from other sources may occur but has not been specifically determined.

**Storage Condition**

Store vial at 4° C prior to restoration. For extended storage aliquot contents and freeze at -20° C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use.

**Precautions Note**

This product is for research use only and is not intended for therapeutic or diagnostic applications.

**Anti-FRUCTOSE-6-PHOSPHATE KINASE (Rabbit Muscle) (GOAT) Antibody - Protein Information**

**Name** PFKM

**Function**

Catalyzes the phosphorylation of D-fructose 6-phosphate to fructose 1,6-bisphosphate by ATP, the first committing step of glycolysis.

**Cellular Location**

Cytoplasm {ECO:0000255|HAMAP-Rule:MF\_03184}.

**Anti-FRUCTOSE-6-PHOSPHATE KINASE (Rabbit Muscle) (GOAT) Antibody - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

**Anti-FRUCTOSE-6-PHOSPHATE KINASE (Rabbit Muscle) (GOAT) Antibody - Images****Anti-FRUCTOSE-6-PHOSPHATE KINASE (Rabbit Muscle) (GOAT) Antibody - Background**

Fructose-6-Phosphate Kinase -2 (F6PK) also known as Phosphofructokinase (PFK) catalyzes the conversion of ATP + D-fructose 6-phosphate to ADP + D-fructose 1,6-bisphosphate and therefore is a key enzyme in the control of glycolysis and carbohydrate degradation. This is a unidirectional and rate-limiting step in glycolysis. Allosteric kinetics control activation by ADP, AMP, or fructose bisphosphate and inhibition by ATP or citrate. The enzyme exists as a homotetramer.