

Anti-GFP (MOUSE) Monoclonal Antibody Fluorescein Conjugated

GFP Antibody Fluorescein Conjugated Catalog # ASR5127

Specification

Anti-GFP (MOUSE) Monoclonal Antibody Fluorescein Conjugated - Product Information

Host Conjugate Reactivity Clonality Application Application Note

Mouse

Fluorescein (FITC)

GFP

Monoclonal

WB, E, I, LCI

Monoclonal anti-GFP is designed to detect enhanced GFP and GFP containing recombinant proteins. This antibody can be used to detect GFP by ELISA (sandwich or capture) for the direct binding of antigen. Biotin conjugated monoclonal anti-GFP is well suited to titrate GFP in a sandwich **ELISA** in combination with Rockland's polyclonal anti-GFP (600-101-215) as the capture antibody. Only use the monoclonal form for the detection of enhanced or recombinant GFP. Polyclonal anti-GFP detects all variants of GFP tested to date. The biotin conjugated detection antibody is typically used with streptavidin conjugated HRP (code # S000-03) or other streptavidin conjugates. The use of polyclonal anti-GFP results in significant amplification of signal when fluorochrome conjugated polyclonal anti-GFP is used relative to the fluorescence of GFP alone. This antibody was tested by western blotting, for immunoblotting use either alkaline phosphatase or peroxidase conjugated anti-GFP to detect GFP or GFP containing proteins on western blots. Optimal titers for applications should be determined by the researcher. Lvophilized

Physical State Buffer

Immunogen

Reconstitution Volume Reconstitution Buffer 0.02 M Potassium Phosphate, 0.15 M

Sodium Chloride, pH 7.2

Anti-Green Fluorescent Protein (GFP) is produced by immunizing GFP containing fusion protein that corresponds to the full length amino acid sequence (246aa) derived from the jellyfish Aequorea victoria.

1.0 mL

I.O IIIL

Restore with deionized water (or

equivalent)



Stabilizer

Preservative

10 mg/mL Bovine Serum Albumin (BSA) - Immunoglobulin and Protease free 0.01% (w/v) Sodium Azide

Anti-GFP (MOUSE) Monoclonal Antibody Fluorescein Conjugated - Additional Information

Purity

GFP Fluorescein Conjugated Antibody was prepared from tissue culture supernatant by Protein A affinity chromatography. Assay by Immunoelectrophoresis resulted in a single precipitin arc against anti-fluorescein and anti-Mouse Serum. Reactivity is observed against recombinant Green Fluorescent Protein (000-001-215, recombinant GFP from Aequorea victoria) by Western blot. No reaction is seen against RFP.

Storage Condition

Store vial at 4° C prior to restoration. For extended storage aliquot contents and freeze at -20° C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use.

Precautions Note

This product is for research use only and is not intended for therapeutic or diagnostic applications.

Anti-GFP (MOUSE) Monoclonal Antibody Fluorescein Conjugated - Protein Information

Name GFP

Function

Energy-transfer acceptor. Its role is to transduce the blue chemiluminescence of the protein aequorin into green fluorescent light by energy transfer. Fluoresces in vivo upon receiving energy from the Ca(2+)-activated photoprotein aequorin.

Tissue Location

Photocytes.


Anti-GFP (MOUSE) Monoclonal Antibody Fluorescein Conjugated - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

Anti-GFP (MOUSE) Monoclonal Antibody Fluorescein Conjugated - Images





Western Blot of GFP Antibody Fluorescein Conjugated. Lane 1: GFP. Load: 50 ng per lane. Primary antibody: none. Secondary antibody: Fluorescein Conjugated Mouse Anti-GFP at 1:1000 for 60 min at RT. Block: 1% BSA-TTBS for 30 min at RT. Predicted/Observed size: 28 kDa, 28 kDa.

Anti-GFP (MOUSE) Monoclonal Antibody Fluorescein Conjugated - Background

Green fluorescent protein is a 27 kDa protein produced from the jellyfish Aequorea victoria, which emits green light (emission peak at a wavelength of 509nm) when excited by blue light. GFP is an important tool in cell biology research. GFP is widely used enabling researchers to visualize and localize GFP-tagged proteins within living cells without the need for chemical staining.