

Anti-Histone H3 [p Thr6] (RABBIT) Antibody

Histone H3 phospho T6 Antibody Catalog # ASR5623

Specification

Anti-Histone H3 [p Thr6] (RABBIT) Antibody - Product Information

Host Rabbit

Conjugate Unconjugated **Target Species** Human Reactivity Human Clonality **Polyclonal** Application

Application Note Anti-Histone H3 [p Thr6] antibody is tested

for Western Blot, Immunofluorescence, and Dot Blot. This antibody is useful in **Chromatin Immunoprecipitation and**

Immunocytochemistry. Specific conditions for reactivity should be optimized by the end user. Expect a band approximately ~15.4 kDa corresponding to Histone H3 protein by Western Blotting in HeLa histone prep lysate or the appropriate cell

lysate or extract. Epi-Plus™ antibody production in collaboration with Novus

Biologicals.

WB, IHC, I, LCI

Physical State Liquid (sterile filtered)

Buffer 0.02 M Potassium Phosphate, 0.15 M

Sodium Chloride, pH 7.2

Immunogen Histone H3 [p Thr6] affinity purified

antibody was prepared from whole rabbit

serum produced by repeated

immunizations with a synthetic peptide surrounding Threonine 6 of human Histone

H3.2.

Stabilizer 30% Glycerol

Preservative 0.01% (w/v) Sodium Azide

Anti-Histone H3 [p Thr6] (RABBIT) Antibody - Additional Information

Gene ID 126961;333932;653604

Other Names 126961

Purity

Anti-Histone H3 [p Thr6] was affinity purified from monospecific antiserum by immunoaffinity chromatography. This antibody reacts with human Histone H3.2. A BLAST analysis was used to suggest cross-reactivity with Human, mouse, and C. elegans. Predicted to react with many species including rat, chicken, Xenopus, Drosophila, and plant based on 100% sequence homology. Cross-reactivity with Histone H3 from other sources has not been determined.



Storage Condition

Store vial at -20° C prior to opening. Aliquot contents and freeze at -20° C or below for extended storage. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use.

Precautions Note

This product is for research use only and is not intended for therapeutic or diagnostic applications.

Anti-Histone H3 [p Thr6] (RABBIT) Antibody - Protein Information

Name H3C15 (HGNC:20505)

Function

Core component of nucleosome. Nucleosomes wrap and compact DNA into chromatin, limiting DNA accessibility to the cellular machineries which require DNA as a template. Histones thereby play a central role in transcription regulation, DNA repair, DNA replication and chromosomal stability. DNA accessibility is regulated via a complex set of post-translational modifications of histones, also called histone code, and nucleosome remodeling.

Cellular Location


Nucleus. Chromosome.

Anti-Histone H3 [p Thr6] (RABBIT) Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

Anti-Histone H3 [p Thr6] (RABBIT) Antibody - Images



Immunofluorescence of Rabbit Anti-Histone H3 [p Thr6] Antibody. Tissue: HeLa cells. Fixation:





Tel: 858.875.1900 Fax: 858.875.1999

0.5% PFA. Antigen retrieval: Not required. Primary antibody: Histone H3 [p Thr6] antibody at a 1:50 dilution for 1 h at RT. Secondary antibody: FITC secondary antibody at 1:10,000 for 45 min at RT. Localization: Histone H3 [p Thr6] is nuclear and chromosomal. Staining: Histone H3 [p Thr6] is expressed in green and the nuclei are counterstained with DAPI (blue).

Anti-Histone H3 [p Thr6] (RABBIT) Antibody - Background

Phosphorylation as a post-translational modification on histone H3 modulates the ability of proteins to recognize and bind to the H3 tail. When additional modifications to H3 are present, in addition to the native T6 phosphorylation, there is an amplified effect. Several authors suggest that the complexity of these combined PTMs on histone tails should be described as a convoluted language, rather than as a strict code. Since the H3T6 phosphorylation seems to be constitutively present, its de-phosphorylation could be highly significant and affect transcription, repair and replication. Anti-Histone H3 are ideal for researchers interested in Chromatin Modifiers, Chromatin Research, Histones and Modified Histones, and Epigenetics research.