

**Anti-mCherry (RABBIT) Antibody Min X Hu Ms and Rt Serum Proteins**  
**Anti-mCherry Antibody Pre-Adsorbed**  
**Catalog # ASR5771****Specification**

---

**Anti-mCherry (RABBIT) Antibody Min X Hu Ms and Rt Serum Proteins - Product Information**

Host	Rabbit
Conjugate	Unconjugated
Clonality	Polyclonal
Application	WB, IHC, E, I, LCI
Application Note	Polyclonal anti-mCherry is designed to detect mCherry, RFP, and its variants. Anti-mCherry (Discosoma sp.) has been tested by ELISA and Western blot and is intended for use in immunological assays including ELISA, western blotting, immunofluorescence, and fluorescence activated cell sorting (FACS). Researchers should determine optimal titers for applications that are not stated. In addition, we performed conjugation of RFP antibodies to either fluorescent dyes, biotin or horseradish peroxidase to further facilitate RFP protein detection and quantification.
Physical State	Liquid (sterile filtered)
Buffer	0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2
Immunogen	The immunogen is a mCherry mutant variant fusion protein of RFP corresponding to the full length amino acid sequence (234aa) derived from the mushroom polyp coral Discosoma.
Preservative	0.01% (w/v) Sodium Azide

**Anti-mCherry (RABBIT) Antibody Min X Hu Ms and Rt Serum Proteins - Additional Information****Purity**

mCherry was prepared from monospecific antiserum by immunoaffinity chromatography using Red Fluorescent Protein (Discosoma) coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities. Expect reactivity against mCherry, RFP and its variants: tdTomato, mBanana, mOrange, mPlum, mOrange and mStrawberry. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Rabbit Serum and purified and partially purified mCherry. No reaction was observed against Human, Mouse or Rat serum proteins. ELISA was used to confirm specificity at less than 0.1% of target signal.

**Storage Condition**

Store mCherry Antibody at -20° C prior to opening. Aliquot contents and freeze at -20° C or below

for extended storage. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use.

#### Precautions Note

This product is for research use only and is not intended for therapeutic or diagnostic applications.


### Anti-mCherry (RABBIT) Antibody Min X Hu Ms and Rt Serum Proteins - Protein Information

### Anti-mCherry (RABBIT) Antibody Min X Hu Ms and Rt Serum Proteins - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

### Anti-mCherry (RABBIT) Antibody Min X Hu Ms and Rt Serum Proteins - Images



Western Blot of Rabbit Anti-mCherry Antibody MX Hu Ms Rt. Lane 1: Opal Prestained Molecular Weight Marker (p/n MB-210-0500). Lane 2: RFP (p/n 000-001-379)/HeLa WCL (p/n W09-000-364) [0.02 µg/10 µg]. Lane 3: HeLa WCL (p/n W09-000-364) [10 µg]. Lane 4: RFP (p/n 000-001-379)/NIH/3T3 WCL (p/n W10-000-358) [0.02 µg/10 µg]. Lane 5: NIH/3T3 WCL (p/n W10-000-358) [10 µg]. Lane 6: RFP (p/n 000-001-379)/PC-12 WCL (p/n W12-001-GL9) [0.02 µg/10 µg]. Lane 7: PC-12 WCL (p/n W12-001-GL9) [10 µg]. Primary Antibody: Anti-mCherry at 1:1000 overnight at 2-8°C. Secondary Antibody: Goat Anti-Rabbit IgG HRP (p/n 611-103-122) at 1:70,000 for 30mins at RT. Block: BlockOut Buffer (p/n MB-073). Predicted MW: ~27-30kDa.

### Anti-mCherry (RABBIT) Antibody Min X Hu Ms and Rt Serum Proteins - Background

mCherry Antibody is ideal for Western Blotting. Fluorescent proteins such as Discosoma Red Fluorescent Protein (and its variants), and GFP are widely used in research practice. Both commonly serve as a markers for gene expression and protein localization. DsRed was isolated from sea

anemone Discosoma sp. mushroom and GFP is originated from Aequorea victoria jellyfish. As DsRed and GFP share only 19% identity, therefore, in general, anti-GFP antibodies do not recognize DsRed protein and vice versa. Structurally, Discosoma red fluorescent protein is similar to Aequorea green fluorescent protein in terms of its overall fold (a  $\beta$ -can) and chromophore-formation chemistry. However, Discosoma red fluorescent protein undergoes an additional steps in the chromophore maturation and obligates tetrameric structure. All mCherry antibodies have been pre-absorbed to eliminate any potential cross-reactivity to human, mouse and rat serum proteins. The antibodies are also confirmed for non-reactivity to GFP protein.