

Anti-Collagen Type IV (RABBIT) Antibody Peroxidase Conjugated

Collagen Type IV Antibody Peroxidase Conjugated Catalog # ASR5806

Specification

Anti-Collagen Type IV (RABBIT) Antibody Peroxidase Conjugated - Product Information

Host Rabbit

Conjugate Peroxidase (Horseradish)

Target Species
Reactivity
Clonality
Application

Mammalian
Human, Bovine
Polyclonal
WB, IHC. E. IP. I

Application WB, IHC, E, IP, I, LCI
Application Note Appli

Application Note

Anti-Collagen Type IV Peroxidase
Conjugated Antibody has been tested by

dot blot and is suitable for western blotting, IHC and for ELISA. Researchers should determine optimal titers for applications that are not stated below.

Physical State Lyophilized

Buffer 0.01 M Sodium Phosphate, 0.25 M Sodium

Chloride, pH 7.2

Immunogen Anti-Collagen Type IV was produced by

repeated immunizations with Collagen

Type IV from human and bovine placenta.

Reconstitution Volume 50 µL

Reconstitution Buffer Restore with deionized water (or

equivalent)

Stabilizer 10 mg/mL Bovine Serum Albumin (BSA) -

Immunoglobulin and Protease free

Preservative 0.01% (w/v) Gentamicin Sulfate. Do NOT

add Sodium Azide!

Anti-Collagen Type IV (RABBIT) Antibody Peroxidase Conjugated - Additional Information

Gene ID 1282

Other Names 1282

Purity

Anti-Collagen Type IV has been prepared by immunoaffinity chromatography using immobilized antigens followed by extensive cross-adsorption against other collagens, human serum proteins and non-collagen extracellular matrix proteins to remove any unwanted specificities. Some class-specific anti-collagens may be specific for three-dimensional epitopes which may result in diminished reactivity with denatured collagen or formalin-fixed, paraffin embedded tissues. This antibody reacts with most mammalian Type IV collagens and has negligible cross-reactivity with Type I, II, III, V and VI collagens. Non-specific cross-reaction of anti-collagen antibodies with other human serum proteins or non-collagen extracellular matrix proteins is negligible.

Storage Condition



Store vial at 4° C prior to restoration. Restore with 0.05 mL of deionized water (or equivalent). For extended storage aliquot contents and freeze at -20° C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use.

Precautions Note

This product is for research use only and is not intended for therapeutic or diagnostic applications.

Anti-Collagen Type IV (RABBIT) Antibody Peroxidase Conjugated - Protein Information

Name COL4A1 (HGNC:2202)

Function

Type IV collagen is the major structural component of glomerular basement membranes (GBM), forming a 'chicken-wire' meshwork together with laminins, proteoglycans and entactin/nidogen.

Cellular Location

Secreted, extracellular space, extracellular matrix, basement membrane {ECO:0000250|UniProtKB:P02463}

Tissue Location

Highly expressed in placenta.

Anti-Collagen Type IV (RABBIT) Antibody Peroxidase Conjugated - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

Anti-Collagen Type IV (RABBIT) Antibody Peroxidase Conjugated - Images

Anti-Collagen Type IV (RABBIT) Antibody Peroxidase Conjugated - Background

Anti-Collagen Type IV detects collagen. Type-IV collagen is a type of collagen found primarily in the basal lamina. It is the major structural element of basal membranes. Anti-Collagen Type IV antibody is ideal for investigators involved in Cell Signaling, Neuroscience and Signal Transduction research.