

ABCC6 Antibody (monoclonal) (M01)**Mouse monoclonal antibody raised against a partial recombinant ABCC6.****Catalog # AT1007a****Specification**

ABCC6 Antibody (monoclonal) (M01) - Product Information

Application	WB, E
Primary Accession	O95255
Other Accession	NM_001171
Reactivity	Human
Host	mouse
Clonality	Monoclonal
Isotype	IgG2b Kappa
Calculated MW	164906

ABCC6 Antibody (monoclonal) (M01) - Additional Information**Gene ID** 368**Other Names**

Multidrug resistance-associated protein 6, ATP-binding cassette sub-family C member 6, Anthracycline resistance-associated protein, Multi-specific organic anion transporter E, MOAT-E, ABCC6, ARA, MRP6

Target/Specificity

ABCC6 (NP_001162, 831 a.a. ~ 930 a.a) partial recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.

Dilution

WB~~1:500~1000

E~~N/A

Format

Clear, colorless solution in phosphate buffered saline, pH 7.2 .

Storage

Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Precautions

ABCC6 Antibody (monoclonal) (M01) is for research use only and not for use in diagnostic or therapeutic procedures.


ABCC6 Antibody (monoclonal) (M01) - Protocols

Provided below are standard protocols that you may find useful for product applications.


- [Western Blot](#)

- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

ABCC6 Antibody (monoclonal) (M01) - Images



Antibody Reactive Against Recombinant Protein. Western Blot detection against Immunogen (36.74 KDa) .



Detection limit for recombinant GST tagged ABCC6 is approximately 0.03ng/ml as a capture antibody.

ABCC6 Antibody (monoclonal) (M01) - Background

The protein encoded by this gene is a member of the superfamily of ATP-binding cassette (ABC) transporters. ABC proteins transport various molecules across extra- and intra-cellular membranes. ABC genes are divided into seven distinct subfamilies (ABC1, MDR/TAP, MRP, ALD, OABP, GCN20, White). The encoded protein, a member of the MRP subfamily, is involved in multi-drug resistance. Mutations in this gene cause pseudoxanthoma elasticum. Alternatively spliced transcript variants that encode different proteins have been described for this gene.

ABCC6 Antibody (monoclonal) (M01) - References

Analysis of MMP2 promoter polymorphisms in patients with pseudoxanthoma elasticum. Zarbock R, et al. Clin Chim Acta, 2010 Oct 9. PMID 20541540. The ERK1/2-hepatocyte nuclear factor 4alpha axis regulates human ABCC6 gene expression in hepatocytes. de Boussac H, et al. J Biol Chem, 2010 Jul 23. PMID 20463007. Novel deletions causing pseudoxanthoma elasticum underscore the genomic instability of the ABCC6 region. Costrop LM, et al. J Hum Genet, 2010 Feb. PMID

20075945.Pseudoxanthoma elasticum: molecular genetics and putative pathomechanisms. Uitto J, et al. J Invest Dermatol, 2010 Mar. PMID 20032990.The R1141X loss-of-function mutation of the ABCC6 gene is a strong genetic risk factor for coronary artery disease. K?bl?s G, et al. Genet Test Mol Biomarkers, 2010 Feb. PMID 19929409.