

ADAMDEC1 Antibody (monoclonal) (M01)**Mouse monoclonal antibody raised against a partial recombinant ADAMDEC1.****Catalog # AT1045a****Specification**

ADAMDEC1 Antibody (monoclonal) (M01) - Product Information

Application	WB, IHC, E
Primary Accession	O15204
Other Accession	NM_014479
Reactivity	Human
Host	Mouse
Clonality	Monoclonal
Isotype	IgG2a Kappa
Calculated MW	52775

ADAMDEC1 Antibody (monoclonal) (M01) - Additional Information**Gene ID** 27299**Other Names**

ADAM DEC1, 3424-, A disintegrin and metalloproteinase domain-like protein decysin-1, ADAM-like protein decysin-1, ADAMDEC1

Target/Specificity

ADAMDEC1 (NP_055294, 361 a.a. ~ 470 a.a) partial recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.

Dilution

WB~~1:500~1000

IHC~~1:100~500

E~~N/A

Format

Clear, colorless solution in phosphate buffered saline, pH 7.2 .

Storage

Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Precautions

ADAMDEC1 Antibody (monoclonal) (M01) is for research use only and not for use in diagnostic or therapeutic procedures.


ADAMDEC1 Antibody (monoclonal) (M01) - Protocols

Provided below are standard protocols that you may find useful for product applications.


- [Western Blot](#)

- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)


ADAMDEC1 Antibody (monoclonal) (M01) - Images



Antibody Reactive Against Recombinant Protein. Western Blot detection against Immunogen (37.84 KDa) .



Immunoperoxidase of monoclonal antibody to ADAMDEC1 on formalin-fixed paraffin-embedded human tonsil. [antibody concentration 3 ug/ml]



Detection limit for recombinant GST tagged ADAMDEC1 is approximately 0.3ng/ml as a capture antibody.

ADAMDEC1 Antibody (monoclonal) (M01) - Background

This encoded protein is thought to be a secreted protein belonging to the disintegrin metalloproteinase family. Its expression is upregulated during dendritic cells maturation. This protein may play an important role in dendritic cell function and their interactions with germinal center T cells.

ADAMDEC1 Antibody (monoclonal) (M01) - References

1. Gene Expression Profiling Identifies MMP-12 and ADAMDEC1 as Potential Pathogenic Mediators of Pulmonary Sarcoidosis. Crouser ED, Culver DA, Knox KS, Julian MW, Shao G, Abraham S, Liyanarachchi S, Macre JE, Wewers MD, Gavrilin MA, Ross P, Abbas A, Eng C. Am J Respir Crit Care Med. 2009 May 15;179(10):929-38. Epub 2009 Feb 12.