

AKAP9 Antibody (monoclonal) (M01)

Mouse monoclonal antibody raised against a partial recombinant AKAP9. Catalog # AT1090a

Specification

AKAP9 Antibody (monoclonal) (M01) - Product Information

WB, E Application **Primary Accession** 099996 NM 147171 Other Accession Reactivity Human Host mouse Clonality **Monoclonal** Isotype IgG2a Kappa Calculated MW 452987

AKAP9 Antibody (monoclonal) (M01) - Additional Information

Gene ID 10142

Other Names

A-kinase anchor protein 9, AKAP-9, A-kinase anchor protein 350 kDa, AKAP 350, hgAKAP 350, A-kinase anchor protein 450 kDa, AKAP 450, AKAP 120-like protein, Centrosome- and Golgi-localized PKN-associated protein, CG-NAP, Protein hyperion, Protein kinase A-anchoring protein 9, PRKA9, Protein yotiao, AKAP9, AKAP350, AKAP450, KIAA0803

Target/Specificity

AKAP9 (NP_671700, 3812 a.a. \sim 3911 a.a) partial recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.

Dilution

WB~~1:500~1000

Format

Clear, colorless solution in phosphate buffered saline, pH 7.2.

Storage

Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Precautions

AKAP9 Antibody (monoclonal) (M01) is for research use only and not for use in diagnostic or therapeutic procedures.

AKAP9 Antibody (monoclonal) (M01) - Protocols

Provided below are standard protocols that you may find useful for product applications.

• Western Blot




- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

AKAP9 Antibody (monoclonal) (M01) - Images



Antibody Reactive Against Recombinant Protein. Western Blot detection against Immunogen (36.74 KDa).



Detection limit for recombinant GST tagged AKAP9 is approximately 0.3ng/ml as a capture antibody.

AKAP9 Antibody (monoclonal) (M01) - Background

The A-kinase anchor proteins (AKAPs) are a group of structurally diverse proteins which have the common function of binding to the regulatory subunit of protein kinase A (PKA) and confining the holoenzyme to discrete locations within the cell. This gene encodes a member of the AKAP family. Alternate splicing of this gene results in at least two isoforms that localize to the centrosome and the Golgi apparatus, and interact with numerous signaling proteins from multiple signal transduction pathways. These signaling proteins include type II protein kinase A, serine/threonine kinase protein kinase N, protein phosphatase 1, protein phosphatase 2a, protein kinase C-epsilon and phosphodiesterase 4D3. [provided by RefSeq]