

BTBD9 Antibody (monoclonal) (M01)**Mouse monoclonal antibody raised against a partial recombinant BTBD9.****Catalog # AT1316a****Specification**

BTBD9 Antibody (monoclonal) (M01) - Product Information

Application	WB, E
Primary Accession	O96Q07
Other Accession	NM_152733
Reactivity	Human
Host	mouse
Clonality	Monoclonal
Isotype	IgG2a Kappa
Calculated MW	69188

BTBD9 Antibody (monoclonal) (M01) - Additional Information**Gene ID** 114781**Other Names**

BTB/POZ domain-containing protein 9, BTBD9, KIAA1880

Target/Specificity

BTBD9 (NP_689946, 2 a.a. ~ 70 a.a) partial recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.

Dilution

WB~~1:500~1000

E~~N/A

Format

Clear, colorless solution in phosphate buffered saline, pH 7.2 .

Storage

Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Precautions

BTBD9 Antibody (monoclonal) (M01) is for research use only and not for use in diagnostic or therapeutic procedures.


BTBD9 Antibody (monoclonal) (M01) - Protocols

Provided below are standard protocols that you may find useful for product applications.


- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)

- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

BTBD9 Antibody (monoclonal) (M01) - Images




Antibody Reactive Against Recombinant Protein. Western Blot detection against Immunogen (33.33 KDa) .



Western Blot analysis of BTBD9 expression in transfected 293T cell line by BTBD9 monoclonal antibody (M01), clone 3H3.

Lane 1: BTBD9 transfected lysate(65.7 KDa).

Lane 2: Non-transfected lysate.



Detection limit for recombinant GST tagged BTBD9 is approximately 0.03ng/ml as a capture antibody.