

C15orf15 Antibody (monoclonal) (M01)**Mouse monoclonal antibody raised against a full length recombinant C15orf15.****Catalog # AT1329a****Specification**

C15orf15 Antibody (monoclonal) (M01) - Product Information

Application	WB, IHC, IF
Primary Accession	O9UHA3
Other Accession	BC005344
Reactivity	Human
Host	mouse
Clonality	Monoclonal
Isotype	IgG1 kappa
Calculated MW	19621

C15orf15 Antibody (monoclonal) (M01) - Additional Information**Gene ID** 51187**Other Names**

Probable ribosome biogenesis protein RLP24, Ribosomal L24 domain-containing protein 1, Ribosomal protein L24-like, RSL24D1, C15orf15, RPL24L

Target/Specificity

C15orf15 (AAH05344, 1 a.a. ~ 150 a.a) full-length recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.

Dilution

WB~~1:500~1000

IHC~~1:100~500

IF~~1:50~200

Format

Clear, colorless solution in phosphate buffered saline, pH 7.2 .

Storage

Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Precautions

C15orf15 Antibody (monoclonal) (M01) is for research use only and not for use in diagnostic or therapeutic procedures.


C15orf15 Antibody (monoclonal) (M01) - Protocols

Provided below are standard protocols that you may find useful for product applications.


- [Western Blot](#)

- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)


C15orf15 Antibody (monoclonal) (M01) - Images



Immunofluorescence of monoclonal antibody to C15orf15 on HeLa cell . [antibody concentration 10 ug/ml]



Antibody Reactive Against Recombinant Protein. Western Blot detection against Immunogen (42.24 KDa) .



Immunoperoxidase of monoclonal antibody to C15orf15 on formalin-fixed paraffin-embedded human testis. [antibody concentration 1 ug/ml]

C15orf15 Antibody (monoclonal) (M01) - Background

This gene encodes a protein sharing a low level of sequence similarity with human ribosomal protein L24. Although this gene has been referred to as RPL24, L30, and 60S ribosomal protein L30 isolog in the sequence databases, it is distinct from the human genes officially named RPL24 (which itself has been referred to as ribosomal protein L30) and RPL30. The function of this gene is currently unknown. This gene utilizes alternative polyadenylation signals. [provided by RefSeq]