

C1orf19 Antibody (monoclonal) (M01)

Mouse monoclonal antibody raised against a partial recombinant C1orf19.

Catalog # AT1335a

Specification

C1orf19 Antibody (monoclonal) (M01) - Product Information

Application	IF, WB, E
Primary Accession	O8WW01
Other Accession	NM_052965
Reactivity	Human
Host	mouse
Clonality	Monoclonal
Isotype	IgG1 Kappa
Calculated MW	18641

C1orf19 Antibody (monoclonal) (M01) - Additional Information

Gene ID 116461

Other Names

tRNA-splicing endonuclease subunit Sen15, SEN15 homolog, HsSEN15, tRNA-intron endonuclease Sen15, TSEN15, C1orf19, SEN15

Target/Specificity

C1orf19 (NP_443197, 72 a.a. ~ 170 a.a) partial recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.

Dilution

WB~~1:500~1000

Format

Clear, colorless solution in phosphate buffered saline, pH 7.2 .

Storage

Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Precautions

C1orf19 Antibody (monoclonal) (M01) is for research use only and not for use in diagnostic or therapeutic procedures.


C1orf19 Antibody (monoclonal) (M01) - Protocols

Provided below are standard protocols that you may find useful for product applications.


- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)

- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)


C1orf19 Antibody (monoclonal) (M01) - Images



Immunofluorescence of monoclonal antibody to C1orf19 on MCF-7 cell . [antibody concentration 10 ug/ml]




Antibody Reactive Against Recombinant Protein. Western Blot detection against Immunogen (36.63 KDa) .



C1orf19 monoclonal antibody (M01), clone 8C7 Western Blot analysis of C1orf19 expression in

MCF-7 ((Cat # AT1335a)



Detection limit for recombinant GST tagged C1orf19 is approximately 0.3ng/ml as a capture antibody.

C1orf19 Antibody (monoclonal) (M01) - Background

tRNA splicing is a fundamental process required for cell growth and division. SEN15 is a subunit of the tRNA splicing endonuclease, which catalyzes the removal of introns, the first step in tRNA splicing (Paushkin et al., 2004 [PubMed 15109492]).

C1orf19 Antibody (monoclonal) (M01) - References

The role of height-associated loci identified in genome wide association studies in the determination of pediatric stature. Zhao J, et al. BMC Med Genet, 2010 Jun 14. PMID 20546612. Many sequence variants affecting diversity of adult human height. Gudbjartsson DF, et al. Nat Genet, 2008 May. PMID 18391951. Three-dimensional structure determined for a subunit of human tRNA splicing endonuclease (Sen15) reveals a novel dimeric fold. Song J, et al. J Mol Biol, 2007 Feb 9. PMID 17166513. Identification of intrahepatic cholangiocarcinoma related genes by comparison with normal liver tissues using expressed sequence tags. Wang AG, et al. Biochem Biophys Res Commun, 2006 Jul 7. PMID 16712791. Transcriptome analysis of human gastric cancer. Oh JH, et al. Mamm Genome, 2005 Dec. PMID 16341674.