

CCT6B Antibody (monoclonal) (M01)

Mouse monoclonal antibody raised against a full length recombinant CCT6B. Catalog # AT1429a

Specification

CCT6B Antibody (monoclonal) (M01) - Product Information

Application WB, E **Primary Accession** Q92526 Other Accession BC027591 Reactivity Human Host mouse Clonality **Monoclonal** Isotype IgG2a kappa Calculated MW 57821

CCT6B Antibody (monoclonal) (M01) - Additional Information

Gene ID 10693

Other Names

T-complex protein 1 subunit zeta-2, TCP-1-zeta-2, CCT-zeta-2, CCT-zeta-like, TCP-1-zeta-like, Testis-specific Tcp20, Testis-specific protein TSA303, CCT6B

Target/Specificity

CCT6B (AAH27591, 1 a.a. ~ 530 a.a) full-length recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.

Dilution

WB~~1:500~1000 E~~N/A

Format

Clear, colorless solution in phosphate buffered saline, pH 7.2.

Storage

Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Precautions

CCT6B Antibody (monoclonal) (M01) is for research use only and not for use in diagnostic or therapeutic procedures.

CCT6B Antibody (monoclonal) (M01) - Protocols

Provided below are standard protocols that you may find useful for product applications.


- Western Blot
- Blocking Peptides




Tel: 858.875.1900 Fax: 858.875.1999

- Dot Blot
- <u>Immunohistochemistry</u>
- <u>Immunofluorescence</u>
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

CCT6B Antibody (monoclonal) (M01) - Images




Antibody Reactive Against Recombinant Protein. Western Blot detection against Immunogen (84.04 KDa).



CCT6B monoclonal antibody (M01), clone 1A4 Western Blot analysis of CCT6B expression in HL-60 ((Cat # AT1429a)






Western Blot analysis of CCT6B expression in transfected 293T cell line by CCT6B monoclonal antibody (M01), clone 1A4.

Lane 1: CCT6B transfected lysate(57.8 KDa).

Lane 2: Non-transfected lysate.



Detection limit for recombinant GST tagged CCT6B is approximately 0.3ng/ml as a capture antibody.

CCT6B Antibody (monoclonal) (M01) - Background

This gene encodes a molecular chaperone that is a member of the chaperonin containing TCP1 complex (CCT), also known as the TCP1 ring complex (TRiC). This complex consists of two identical stacked rings, each containing eight different proteins. Unfolded polypeptides enter the central cavity of the complex and are folded in an ATP-dependent manner. The complex folds various proteins, including actin and tubulin. Alternate transcriptional splice variants encoding different isoforms have been found for this gene.

CCT6B Antibody (monoclonal) (M01) - References

Chaperonin genes on the rise: new divergent classes and intense duplication in human and other vertebrate genomes. Mukherjee K, et al. BMC Evol Biol, 2010 Mar 1. PMID 20193073.A PP2A phosphatase high density interaction network identifies a novel striatin-interacting phosphatase and kinase complex linked to the cerebral cavernous malformation 3 (CCM3) protein. Goudreault M, et al. Mol Cell Proteomics, 2009 Jan. PMID 18782753.PhLP3 modulates CCT-mediated actin and tubulin folding via ternary complexes with substrates. Stirling PC, et al. J Biol Chem, 2006 Mar 17. PMID 16415341.Diversification of transcriptional modulation: large-scale identification and characterization of putative alternative promoters of human genes. Kimura K, et al. Genome Res, 2006 Jan. PMID 16344560.The status, quality, and expansion of the NIH full-length cDNA project: the Mammalian Gene Collection (MGC). Gerhard DS, et al. Genome Res, 2004 Oct. PMID 15489334.