

## COX6C Antibody (monoclonal) (M01)

Mouse monoclonal antibody raised against a full length recombinant COX6C. Catalog # AT1602a

## **Specification**

# COX6C Antibody (monoclonal) (M01) - Product Information

Application WB, IHC, IF **Primary Accession** P09669 Other Accession BC000187 Reactivity Human Host mouse Clonality **Monoclonal** Isotype IgG1 kappa 8781

Calculated MW

## COX6C Antibody (monoclonal) (M01) - Additional Information

### **Gene ID 1345**

### **Other Names**

Cytochrome c oxidase subunit 6C, Cytochrome c oxidase polypeptide VIc, COX6C

### Target/Specificity

COX6C (AAH00187, 1 a.a. ~ 75 a.a) full-length recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.

# **Dilution**

WB~~1:500~1000 IHC~~1:100~500 IF~~1:50~200

Clear, colorless solution in phosphate buffered saline, pH 7.2.

### Storage

Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

# **Precautions**

COX6C Antibody (monoclonal) (M01) is for research use only and not for use in diagnostic or therapeutic procedures.

## COX6C Antibody (monoclonal) (M01) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides




- Dot Blot
- <u>Immunohistochemistry</u>
- <u>Immunofluorescence</u>
- Immunoprecipitation
- Flow Cytomety
- Cell Culture


# COX6C Antibody (monoclonal) (M01) - Images



Immunofluorescence of monoclonal antibody to COX6C on HeLa cell . [antibody concentration 10 ug/ml]



Antibody Reactive Against Recombinant Protein. Western Blot detection against Immunogen (33.99 KDa) .



Immunoperoxidase of monoclonal antibody to COX6C on formalin-fixed paraffin-embedded



human kidney. [antibody concentration 3 ug/ml]

# COX6C Antibody (monoclonal) (M01) - Background

Cytochrome c oxidase, the terminal enzyme of the mitochondrial respiratory chain, catalyzes the electron transfer from reduced cytochrome c to oxygen. It is a heteromeric complex consisting of 3 catalytic subunits encoded by mitochondrial genes and multiple structural subunits encoded by nuclear genes. The mitochondrially-encoded subunits function in electron transfer, and the nuclear-encoded subunits may be involved in the regulation and assembly of the complex. This nuclear gene encodes subunit VIc, which has 77% amino acid sequence identity with mouse subunit VIc. This gene is up-regulated in prostate cancer cells. A pseudogene has been found on chromosomes 16p12.

# COX6C Antibody (monoclonal) (M01) - References

Assembly of nuclear DNA-encoded subunits into mitochondrial complex IV, and their preferential integration into supercomplex forms in patient mitochondria. Lazarou M, et al. FEBS J, 2009 Nov. PMID 19843159.Polymorphisms in mitochondrial genes and prostate cancer risk. Wang L, et al. Cancer Epidemiol Biomarkers Prev, 2008 Dec. PMID 19064571.Mid-region parathyroid hormone-related protein (PTHrP) and gene expression of MDA-MB231 breast cancer cells. Sirchia R, et al. Biol Chem, 2007 May. PMID 17516841.Large-scale mapping of human protein-protein interactions by mass spectrometry. Ewing RM, et al. Mol Syst Biol, 2007. PMID 17353931.A human protein-protein interaction network: a resource for annotating the proteome. Stelzl U, et al. Cell, 2005 Sep 23. PMID 16169070.