

FKBP4 Antibody (monoclonal) (M01)

Mouse monoclonal antibody raised against a partial recombinant FKBP4. Catalog # AT2057a

Specification

FKBP4 Antibody (monoclonal) (M01) - Product Information

FKBP4 Antibody (monoclonal) (M01) - Additional Information

Application
Primary Accession
Other Accession
Reactivity

Host Clonality Isotype

Calculated MW

WB, IHC, IP, E

Human, Mouse, Rat

002790

mouse

51805

BC007924

Monoclonal

IgG2a Kappa

Gene ID 2288

Other Names

Peptidyl-prolyl cis-trans isomerase FKBP4, PPlase FKBP4, 51 kDa FK506-binding protein, FKBP51, 52 kDa FK506-binding protein, 52 kDa FKBP, FKBP-52, 59 kDa immunophilin, p59, FK506-binding protein 4, FKBP-4, FKBP59, HSP-binding immunophilin, HBI, Immunophilin FKBP52, Rotamase, Peptidyl-prolyl cis-trans isomerase FKBP4, N-terminally processed, FKBP4, FKBP52

Target/Specificity

FKBP4 (AAH07924, 301 a.a. \sim 410 a.a) partial recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.

Dilution

WB~~1:500~1000 IHC~~1:100~500 IP~~N/A E~~N/A

Format

Clear, colorless solution in phosphate buffered saline, pH 7.2.

Storage

Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Precautions

FKBP4 Antibody (monoclonal) (M01) is for research use only and not for use in diagnostic or therapeutic procedures.

FKBP4 Antibody (monoclonal) (M01) - Protocols




Tel: 858.875.1900 Fax: 858.875.1999


Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- <u>Immunofluorescence</u>
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

FKBP4 Antibody (monoclonal) (M01) - Images




Immunoprecipitation of FKBP4 transfected lysate using anti-FKBP4 monoclonal antibody and Protein A Magnetic Bead (<u>U0007</u>), and immunoblotted with FKBP4 MaxPab rabbit polyclonal antibody.




Antibody Reactive Against Recombinant Protein. Western Blot detection against Immunogen (37.84 KDa).






FKBP4 monoclonal antibody (M01), clone 5C11 Western Blot analysis of FKBP4 expression in HeLa ((Cat # AT2057a)




FKBP4 monoclonal antibody (M01), clone 5C11. Western Blot analysis of FKBP4 expression in PC-12 ((Cat # AT2057a)




FKBP4 monoclonal antibody (M01), clone 5C11. Western Blot analysis of FKBP4 expression in Raw 264.7 ((Cat # AT2057a)






FKBP4 monoclonal antibody (M01), clone 5C11. Western Blot analysis of FKBP4 expression in NIH/3T3 ((Cat # AT2057a)




Immunoperoxidase of monoclonal antibody to FKBP4 on formalin-fixed paraffin-embedded human uterine cervix. [antibody concentration 0.5 ug/ml]



Detection limit for recombinant GST tagged FKBP4 is approximately 1ng/ml as a capture antibody.

FKBP4 Antibody (monoclonal) (M01) - Background

The protein encoded by this gene is a member of the immunophilin protein family, which play a role in immunoregulation and basic cellular processes involving protein folding and trafficking. This encoded protein is a cis-trans prolyl isomerase that binds to the immunosuppressants FK506 and rapamycin. It has high structural and functional similarity to FK506-binding protein 1A (FKBP1A), but unlike FKBP1A, this protein does not have immunosuppressant activity when complexed with FK506. It interacts with interferon regulatory factor-4 and plays an important role in immunoregulatory gene expression in B and T lymphocytes. This encoded protein is known to associate with phytanoyl-CoA alpha-hydroxylase. It can also associate with two heat shock proteins (hsp90 and hsp70) and thus may play a role in the intracellular trafficking of hetero-oligomeric





Tel: 858.875.1900 Fax: 858.875.1999

forms of the steroid hormone receptors. This protein correlates strongly with adeno-associated virus type 2 vectors (AAV) resulting in a significant increase in AAV-mediated transgene expression in human cell lines. Thus this encoded protein is thought to have important implications for the optimal use of AAV vectors in human gene therapy. The human genome contains several non-transcribed pseudogenes similar to this gene.

FKBP4 Antibody (monoclonal) (M01) - References

1.Identification of a New Panel of Serum Autoantibodies Associated with the Presence of In situ Carcinoma of the Breast in Younger Women. Desmetz C, Bascoul-Mollevi C, Rochaix P, Lamy PJ, Kramar A, Rouanet P, Maudelonde T, Mange A, Solassol J.Clin Cancer Res. 2009 Jul 15;15(14):4733-41. Epub 2009 Jul 7.