

FLJ20097 Antibody (monoclonal) (M01)**Mouse monoclonal antibody raised against a partial recombinant FLJ20097.****Catalog # AT2065a****Specification**

FLJ20097 Antibody (monoclonal) (M01) - Product Information

Application	IF, WB, IHC
Primary Accession	O96JG6
Other Accession	NM_017667
Reactivity	Human, Mouse
Host	mouse
Clonality	Monoclonal
Isotype	IgG2b Kappa
Calculated MW	111174

FLJ20097 Antibody (monoclonal) (M01) - Additional Information**Gene ID** 55610**Other Names**

Coiled-coil domain-containing protein 132, CCDC132, KIAA1861

Target/Specificity

FLJ20097 (NP_060137, 862 a.a. ~ 964 a.a) partial recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.

Dilution

WB~~1:500~1000

Format

Clear, colorless solution in phosphate buffered saline, pH 7.2 .

Storage

Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Precautions

FLJ20097 Antibody (monoclonal) (M01) is for research use only and not for use in diagnostic or therapeutic procedures.


FLJ20097 Antibody (monoclonal) (M01) - Protocols

Provided below are standard protocols that you may find useful for product applications.


- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)

- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)


FLJ20097 Antibody (monoclonal) (M01) - Images




Immunofluorescence of monoclonal antibody to FLJ20097 on HeLa cell . [antibody concentration 10 ug/ml]




Antibody Reactive Against Recombinant Protein. Western Blot detection against Immunogen (37.07 KDa) .




FLJ20097 monoclonal antibody (M01), clone 2D11. Western Blot analysis of FLJ20097 expression in human pancreas.



FLJ20097 monoclonal antibody (M01), clone 2D11 Western Blot analysis of FLJ20097 expression in HeLa (Cat # AT2065a)



FLJ20097 monoclonal antibody (M01), clone 2D11. Western Blot analysis of FLJ20097 expression in NIH/3T3 (Cat # AT2065a)



Immunoperoxidase of monoclonal antibody to FLJ20097 on formalin-fixed paraffin-embedded human testis. [antibody concentration 3 ug/ml]

FLJ20097 Antibody (monoclonal) (M01) - References

Variation at the NFATC2 Locus Increases the Risk of Thiazolinedione-Induced Edema in the Diabetes REduction Assessment with ramipril and rosiglitazone Medication (DREAM) Study. Bailey SD, et al. Diabetes Care, 2010 Jul 13. PMID 20628086. Gene-centric association signals for lipids and apolipoproteins identified via the HumanCVD BeadChip. Talmud PJ, et al. Am J Hum Genet, 2009 Nov. PMID 19913121. Complete sequencing and characterization of 21,243 full-length human

cDNAs. Ota T, et al. Nat Genet, 2004 Jan. PMID 14702039. The DNA sequence of human chromosome 7. Hillier LW, et al. Nature, 2003 Jul 10. PMID 12853948. Human chromosome 7: DNA sequence and biology. Scherer SW, et al. Science, 2003 May 2. PMID 12690205.