

FUBP1 Antibody (monoclonal) (M03)**Mouse monoclonal antibody raised against a full-length recombinant FUBP1.****Catalog # AT2118a****Specification**

FUBP1 Antibody (monoclonal) (M03) - Product Information

Application	WB, E
Primary Accession	Q96AE4
Other Accession	BC017247
Reactivity	Human
Host	mouse
Clonality	Monoclonal
Isotype	IgG2a Kappa
Calculated MW	67560

FUBP1 Antibody (monoclonal) (M03) - Additional Information**Gene ID** 8880**Other Names**

Far upstream element-binding protein 1, FBP, FUSE-binding protein 1, DNA helicase V, hDH V, FUBP1

Target/Specificity

FUBP1 (AAH17247.1, 1 a.a. ~ 653 a.a) full-length recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.

Dilution

WB~~1:500~1000

E~~N/A

Format

Clear, colorless solution in phosphate buffered saline, pH 7.2 .

Storage

Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Precautions

FUBP1 Antibody (monoclonal) (M03) is for research use only and not for use in diagnostic or therapeutic procedures.


FUBP1 Antibody (monoclonal) (M03) - Protocols

Provided below are standard protocols that you may find useful for product applications.


- [Western Blot](#)
- [Blocking Peptides](#)

- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

FUBP1 Antibody (monoclonal) (M03) - Images




Antibody Reactive Against Recombinant Protein. Western Blot detection against Immunogen (97.35 KDa) .



Western Blot analysis of FUBP1 expression in transfected 293T cell line by FUBP1 monoclonal antibody (M03), clone 1E10.

Lane 1: FUBP1 transfected lysate (68.6 KDa).
Lane 2: Non-transfected lysate.



Detection limit for recombinant GST tagged FUBP1 is 0.1 ng/ml as a capture antibody.

FUBP1 Antibody (monoclonal) (M03) - Background

This gene encodes a ssDNA binding protein that activates the far upstream element (FUSE) of c-myc and stimulates expression of c-myc in undifferentiated cells. Regulation of FUSE by FUBP occurs through single-strand binding of FUBP to the non-coding strand. This protein has been shown to function as an ATP-dependent DNA helicase.

FUBP1 Antibody (monoclonal) (M03) - References

Quantitative characterization of the interactions among c-myc transcriptional regulators FUSE, FBP, and FIR. Hsiao HH, et al. Biochemistry, 2010 Jun 8. PMID 20420426. Overexpression of the far upstream element binding protein 1 in hepatocellular carcinoma is required for tumor growth. Rabenhorst U, et al. Hepatology, 2009 Oct. PMID 19637194. Overexpression of far upstream element binding proteins: a mechanism regulating proliferation and migration in liver cancer cells. Malz M, et al. Hepatology, 2009 Oct. PMID 19585652. Far upstream element-binding protein-1, a novel caspase substrate, acts as a cross-talker between apoptosis and the c-myc oncogene. Jang M, et al. Oncogene, 2009 Mar 26. PMID 19219071. Prefrontal cortex shotgun proteome analysis reveals altered calcium homeostasis and immune system imbalance in schizophrenia. Martins-de-Souza D, et al. Eur Arch Psychiatry Clin Neurosci, 2009 Apr. PMID 19165527.