

## **FUT10 Antibody (monoclonal) (M04)**

Mouse monoclonal antibody raised against a full length recombinant FUT10.

Catalog # AT2122a

### **Specification**

---

#### **FUT10 Antibody (monoclonal) (M04) - Product Information**

Application	WB, E
Primary Accession	<a href="#">O6P4F1</a>
Other Accession	<a href="#">BC004884</a>
Reactivity	Human
Host	mouse
Clonality	Monoclonal
Isotype	IgG1 Kappa
Calculated MW	56094

#### **FUT10 Antibody (monoclonal) (M04) - Additional Information**

**Gene ID** 84750

##### **Other Names**

Alpha-(1, 3)-fucosyltransferase 10, 241-, Fucosyltransferase X, Fuc-TX, FucT-X, Galactoside 3-L-fucosyltransferase 10, Fucosyltransferase 10, FUT10

##### **Target/Specificity**

FUT10 (AAH04884, 1 a.a. ~ 92 a.a) full-length recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.

##### **Dilution**

WB~~1:500~1000

##### **Format**

Clear, colorless solution in phosphate buffered saline, pH 7.2 .

##### **Storage**

Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

##### **Precautions**

FUT10 Antibody (monoclonal) (M04) is for research use only and not for use in diagnostic or therapeutic procedures.


#### **FUT10 Antibody (monoclonal) (M04) - Protocols**

Provided below are standard protocols that you may find useful for product applications.


- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)

- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)


**FUT10 Antibody (monoclonal) (M04) - Images**



Antibody Reactive Against Recombinant Protein. Western Blot detection against Immunogen (35.86 KDa) .



FUT10 monoclonal antibody (M04), clone 4H3. Western Blot analysis of FUT10 expression in human stomach.



Detection limit for recombinant GST tagged FUT10 is approximately 1ng/ml as a capture antibody.

**FUT10 Antibody (monoclonal) (M04) - References**

Personalized smoking cessation: interactions between nicotine dose, dependence and quit-success genotype score. Rose JE, et al. Mol Med, 2010 Jul-Aug. PMID 20379614. Activity, splice variants, conserved peptide motifs, and phylogeny of two new alpha1,3-fucosyltransferase families (FUT10 and FUT11). Mollicone R, et al. J Biol Chem, 2009 Feb 13. PMID 19088067. Complete sequencing and characterization of 21,243 full-length human cDNAs. Ota T, et al. Nat Genet, 2004 Jan. PMID 14702039. Generation and initial analysis of more than 15,000 full-length human and mouse cDNA sequences. Strausberg RL, et al. Proc Natl Acad Sci U S A, 2002 Dec 24. PMID 12477932. Comparison of human and mouse Fuc-TX and Fuc-TXI genes, and expression studies in the mouse. Baboval T, et al. Mamm Genome, 2002 Sep. PMID 12370785.