

HOXC12 Antibody (monoclonal) (M07)**Mouse monoclonal antibody raised against a partial recombinant HOXC12.****Catalog # AT2419a****Specification**

HOXC12 Antibody (monoclonal) (M07) - Product Information

Application	WB, E
Primary Accession	P31275
Other Accession	NM_173860
Reactivity	Human, Mouse, Rat
Host	mouse
Clonality	Monoclonal
Isotype	IgG2a Kappa
Calculated MW	30171

HOXC12 Antibody (monoclonal) (M07) - Additional Information**Gene ID** 3228**Other Names**

Homeobox protein Hox-C12, Homeobox protein Hox-3F, HOXC12, HOC3F, HOX3F

Target/Specificity

HOXC12 (NP_776272, 1 a.a. ~ 100 a.a) partial recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.

Dilution

WB~~1:500~1000

Format

Clear, colorless solution in phosphate buffered saline, pH 7.2 .

Storage

Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Precautions

HOXC12 Antibody (monoclonal) (M07) is for research use only and not for use in diagnostic or therapeutic procedures.


HOXC12 Antibody (monoclonal) (M07) - Protocols

Provided below are standard protocols that you may find useful for product applications.


- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)

- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)


HOXC12 Antibody (monoclonal) (M07) - Images



Antibody Reactive Against Recombinant Protein. Western Blot detection against Immunogen (36.74 kDa) .




HOXC12 monoclonal antibody (M07), clone 2A4. Western Blot analysis of HOXC12 expression in PC-12 (Cat # AT2419a)




HOXC12 monoclonal antibody (M07), clone 2A4. Western Blot analysis of HOXC12 expression in


Raw 264.7((Cat # AT2419a)



HOXC12 monoclonal antibody (M07), clone 2A4 Western Blot analysis of HOXC12 expression in Jurkat ((Cat # AT2419a)



HOXC12 monoclonal antibody (M07), clone 2A4. Western Blot analysis of HOXC12 expression in NIH/3T3((Cat # AT2419a)



Detection limit for recombinant GST tagged HOXC12 is approximately 0.3ng/ml as a capture antibody.

HOXC12 Antibody (monoclonal) (M07) - Background

This gene belongs to the homeobox family of genes. The homeobox genes encode a highly conserved family of transcription factors that play an important role in morphogenesis in all multicellular organisms. Mammals possess four similar homeobox gene clusters, HOXA, HOXB, HOXC and HOXD, which are located on different chromosomes and consist of 9 to 11 genes arranged in tandem. This gene is one of several homeobox HOXC genes located in a cluster on chromosome 12.

HOXC12 Antibody (monoclonal) (M07) - References

Complete mutation analysis panel of the 39 human HOX genes. Kosaki K, et al. Teratology, 2002 Feb. PMID 11857506. Distinct patterns of all-trans retinoic acid dependent expression of HOXB and HOXC homeogenes in human embryonal and small-cell lung carcinoma cell lines. Flagiello D, et al. FEBS Lett, 1997 Oct 6. PMID 9357979. The human HOX gene family. Acampora D, et al. Nucleic Acids Res, 1989 Dec 25. PMID 2574852. Nomenclature for human homeobox genes. McAlpine PJ, et al. Genomics, 1990 Jul. PMID 1973146. Vertebrate homeobox gene nomenclature. Scott MP. Cell, 1992 Nov 13. PMID 1358459.