

HPD Antibody (monoclonal) (M07)

Mouse monoclonal antibody raised against a partial recombinant HPD. Catalog # AT2433a

Specification

HPD Antibody (monoclonal) (M07) - Product Information

Application WB, E **Primary Accession** P32754 Other Accession NM 002150 Reactivity Human Host mouse Clonality **Monoclonal** Isotype IgG2a Kappa Calculated MW 44964

HPD Antibody (monoclonal) (M07) - Additional Information

Gene ID 3242

Other Names

4-hydroxyphenylpyruvate dioxygenase, 4-hydroxyphenylpyruvic acid oxidase, 4HPPD, HPD, HPPDase, HPD, PPD

Target/Specificity

HPD (NP_002141.1, 160 a.a. \sim 269 a.a) partial recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.

Dilution

WB~~1:500~1000 E~~N/A

Format

Clear, colorless solution in phosphate buffered saline, pH 7.2.

Storage

Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Precautions

HPD Antibody (monoclonal) (M07) is for research use only and not for use in diagnostic or therapeutic procedures.

HPD Antibody (monoclonal) (M07) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides




- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture


HPD Antibody (monoclonal) (M07) - Images



Antibody Reactive Against Recombinant Protein. Western Blot detection against Immunogen (37.84 KDa).



HPD monoclonal antibody (M07), clone 2F3. Western Blot analysis of HPD expression in HeLa ((Cat # AT2433a)



Detection limit for recombinant GST tagged HPD is approximately 0.1ng/ml as a capture antibody.



HPD Antibody (monoclonal) (M07) - Background

The protein encoded by this gene is an enzyme in the catabolic pathway of tyrosine. The encoded protein catalyzes the conversion of 4-hydroxyphenylpyruvate to homogentisate. Defects in this gene are a cause of tyrosinemia type 3 (TYRO3) and hawkinsinuria (HAWK). Two transcript variants encoding different isoforms have been found for this gene.

HPD Antibody (monoclonal) (M07) - References

Manifestation of hawkinsinuria in a patient compound heterozygous for hawkinsinuria and tyrosinemia III. Item CB, et al. Mol Genet Metab, 2007 Aug. PMID 17560158. The status, quality, and expansion of the NIH full-length cDNA project: the Mammalian Gene Collection (MGC). Gerhard DS, et al. Genome Res, 2004 Oct. PMID 15489334. Complete sequencing and characterization of 21,243 full-length human cDNAs. Ota T, et al. Nat Genet, 2004 Jan. PMID 14702039. Generation and initial analysis of more than 15,000 full-length human and mouse cDNA sequences. Strausberg RL, et al. Proc Natl Acad Sci U S A, 2002 Dec 24. PMID 12477932. Expressed sequence tag analysis of adult human lens for the NEIBank Project: over 2000 non-redundant transcripts, novel genes and splice variants. Wistow G, et al. Mol Vis, 2002 Jun 15. PMID 12107413.