

LGALS8 Antibody (monoclonal) (M01)**Mouse monoclonal antibody raised against a full length recombinant LGALS8.****Catalog # AT2702a****Specification**

LGALS8 Antibody (monoclonal) (M01) - Product Information

Application	WB, E
Primary Accession	O00214
Other Accession	BC015818
Reactivity	Human, Mouse
Host	mouse
Clonality	Monoclonal
Isotype	IgG2a kappa
Calculated MW	35808

LGALS8 Antibody (monoclonal) (M01) - Additional Information**Gene ID** 3964**Other Names**

Galectin-8, Gal-8, Po66 carbohydrate-binding protein, Po66-CBP, Prostate carcinoma tumor antigen 1, PCTA-1, LGALS8

Target/Specificity

LGALS8 (AAH15818, 1 a.a. ~ 358 a.a) full-length recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.

Dilution

WB~~1:500~1000

E~~N/A

Format

Clear, colorless solution in phosphate buffered saline, pH 7.2 .

Storage

Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Precautions

LGALS8 Antibody (monoclonal) (M01) is for research use only and not for use in diagnostic or therapeutic procedures.


LGALS8 Antibody (monoclonal) (M01) - Protocols

Provided below are standard protocols that you may find useful for product applications.


- [Western Blot](#)
- [Blocking Peptides](#)

- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)


LGALS8 Antibody (monoclonal) (M01) - Images



Antibody Reactive Against Recombinant Protein. Western Blot detection against Immunogen (65.12 KDa) .



LGALS8 monoclonal antibody (M01), clone 3E5. Western Blot analysis of LGALS8 expression in Raw 264.7.



Detection limit for recombinant GST tagged LGALS8 is approximately 0.1ng/ml as a capture antibody.

LGALS8 Antibody (monoclonal) (M01) - Background

This gene encodes a member of the galectin family. Galectins are beta-galactoside-binding animal lectins with conserved carbohydrate recognition domains. The galectins have been implicated in many essential functions including development, differentiation, cell-cell adhesion, cell-matrix interaction, growth regulation, apoptosis, and RNA splicing. This gene is widely expressed in tumoral tissues and seems to be involved in integrin-like cell interactions. Alternatively spliced transcript variants encoding different isoforms have been identified.

LGALS8 Antibody (monoclonal) (M01) - References

Galectin-8 up-regulation during hypopharyngeal and laryngeal tumor progression and comparison with galectin-1, -3 and -7. Cludts S, et al. *Anticancer Res*, 2009 Dec. PMID 20044599. Crystallization and preliminary X-ray diffraction analysis of a protease-resistant mutant form of human galectin-8. Yoshida H, et al. *Acta Crystallogr Sect F Struct Biol Cryst Commun*, 2009 May 1. PMID 19407390. Autoantibodies against galectin-8: their specificity, association with lymphopenia in systemic lupus erythematosus and detection in rheumatoid arthritis and acute inflammation. Massardo L, et al. *Lupus*, 2009 May. PMID 19395456. Galectin-8 interacts with podoplanin and modulates lymphatic endothelial cell functions. Cueni LN, et al. *Exp Cell Res*, 2009 Jun 10. PMID 19268462. Evaluation of galectin-8 expression in thyroid tumors. Savin S, et al. *Med Oncol*, 2009. PMID 19009371.