

MVP Antibody (monoclonal) (M01)

Mouse monoclonal antibody raised against a full length recombinant MVP. Catalog # AT2941a

Specification

MVP Antibody (monoclonal) (M01) - Product Information

Application Primary Accession Other Accession Reactivity Host Clonality Isotype Calculated MW

WB, IHC, IF, E <u>Q14764</u> <u>BC015623</u> Human mouse Monoclonal IgG2a kappa 99327

MVP Antibody (monoclonal) (M01) - Additional Information

Gene ID 9961

Other Names Major vault protein, MVP, Lung resistance-related protein, MVP, LRP

Target/Specificity MVP (AAH15623, 1 a.a. ~ 893 a.a) full-length recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.

Dilution WB~~1:500~1000 IHC~~1:100~500 IF~~1:50~200 E~~N/A

Format Clear, colorless solution in phosphate buffered saline, pH 7.2 .

Storage Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Precautions MVP Antibody (monoclonal) (M01) is for research use only and not for use in diagnostic or therapeutic procedures.

MVP Antibody (monoclonal) (M01) - Protocols


Provided below are standard protocols that you may find useful for product applications.

<u>Western Blot</u>




- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- <u>Cell Culture</u>


MVP Antibody (monoclonal) (M01) - Images



Immunofluorescence of monoclonal antibody to MVP on HeLa cell. [antibody concentration 10 ug/ml]




Antibody Reactive Against Recombinant Protein.Western Blot detection against Immunogen (123.97 KDa) .






MVP monoclonal antibody (M01), clone 2H3-1A6 Western Blot analysis of MVP expression in Hela S3 NE ((Cat # AT2941a)



Immunoperoxidase of monoclonal antibody to MVP on formalin-fixed paraffin-embedded human lung, adenosquamous cell carcinoma. [antibody concentration 3 ug/ml]



Detection limit for recombinant GST tagged MVP is approximately 1ng/ml as a capture antibody.

MVP Antibody (monoclonal) (M01) - Background

This gene encodes the major vault protein which is a lung resistance-related protein. Vaults are multi-subunit structures that may be involved in nucleo-cytoplasmic transport. This protein mediates drug resistance, perhaps via a transport process. It is widely distributed in normal tissues, and overexpressed in multidrug-resistant cancer cells. The protein overexpression is a potentially useful marker of clinical drug resistance. This gene produces two transcripts by using two alternative exon 2 sequences; however, the open reading frames are the same in both transcripts.

MVP Antibody (monoclonal) (M01) - References

1.p16, Cyclin D1, and HIF-1? Predict Outcomes of Patients with Oropharyngeal Squamous Cell Carcinoma Treated with Definitive Intensity-Modulated Radiation Therapy.Rahimi AS, Wilson DD, Saylor DK, Stelow EB, Thomas CY, Reibel JF, Levine PA, Shonka DC, Jameson MJ, Read PW.Int J Otolaryngol. 2012;2012:685951. Epub 2012 Jul 24.