

NDUFB7 Antibody (monoclonal) (M01)

Mouse monoclonal antibody raised against a partial recombinant NDUFB7. Catalog # AT3005a

Specification

NDUFB7 Antibody (monoclonal) (M01) - Product Information

Application WB, E **Primary Accession** P17568 Other Accession NM 004146 Reactivity Human Host mouse Clonality **Monoclonal** Isotype IgG2a Kappa Calculated MW 16402

NDUFB7 Antibody (monoclonal) (M01) - Additional Information

Gene ID 4713

Other Names

NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 7, Cell adhesion protein SQM1, Complex I-B18, CI-B18, NADH-ubiquinone oxidoreductase B18 subunit, NDUFB7

Target/Specificity

NDUFB7 (NP_004137, 38 a.a. \sim 137 a.a) partial recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.

Dilution

WB~~1:500~1000 E~~N/A

Format

Clear, colorless solution in phosphate buffered saline, pH 7.2.

Storage

Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Precautions

NDUFB7 Antibody (monoclonal) (M01) is for research use only and not for use in diagnostic or therapeutic procedures.

NDUFB7 Antibody (monoclonal) (M01) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides




- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

NDUFB7 Antibody (monoclonal) (M01) - Images




Antibody Reactive Against Recombinant Protein. Western Blot detection against Immunogen (36.74 KDa).



NDUFB7 monoclonal antibody (M01), clone 4D4 Western Blot analysis of NDUFB7 expression in A-431 ((Cat # AT3005a)







Western Blot analysis of NDUFB7 expression in transfected 293T cell line by NDUFB7 monoclonal antibody (M01), clone 4D4.

Lane 1: NDUFB7 transfected lysate(16.4 KDa).

Lane 2: Non-transfected lysate.




Western blot analysis of NDUFB7 over-expressed 293 cell line, cotransfected with NDUFB7 Validated Chimera RNAi ((Cat # AT3005a)



Detection limit for recombinant GST tagged NDUFB7 is approximately 1ng/ml as a capture antibody.

NDUFB7 Antibody (monoclonal) (M01) - Background





Tel: 858.875.1900 Fax: 858.875.1999

The protein encoded by this gene is a subunit of the multisubunit NADH: ubiquinone oxidoreductase (complex I). Mammalian complex I is composed of 45 different subunits. It is located at the mitochondrial inner membrane. This protein has NADH dehydrogenase activity and oxidoreductase activity. It transfers electrons from NADH to the respiratory chain. The immediate electron acceptor for the enzyme is believed to be ubiquinone.

NDUFB7 Antibody (monoclonal) (M01) - References

Association study between single-nucleotide polymorphisms in 199 drug-related genes and commonly measured quantitative traits of 752 healthy Japanese subjects. Saito A, et al. J Hum Genet, 2009 Jun. PMID 19343046. Oxidative stress, telomere length and biomarkers of physical aging in a cohort aged 79 years from the 1932 Scottish Mental Survey. Starr JM, et al. Mech Ageing Dev, 2008 Dec. PMID 18977241.A genetic association analysis of cognitive ability and cognitive ageing using 325 markers for 109 genes associated with oxidative stress or cognition. Harris SE, et al. BMC Genet, 2007 Jul 2. PMID 17601350. The status, quality, and expansion of the NIH full-length cDNA project: the Mammalian Gene Collection (MGC). Gerhard DS, et al. Genome Res, 2004 Oct. PMID 15489334. The subunit composition of the human NADH dehydrogenase obtained by rapid one-step immunopurification. Murray I, et al. | Biol Chem, 2003 Apr 18. PMID 12611891.