10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

NKIRAS2 Antibody (monoclonal) (M02)

Mouse monoclonal antibody raised against a full length recombinant NKIRAS2.
Catalog # AT3055a

Specification

NKIRAS2 Antibody (monoclonal) (M02) - Product Information

Application	**WB, IHC, E**
Primary Accession	Q9NYR9
Other Accession	BC007450
Reactivity	**Human**
Host	**mouse**
Clonality	**Monoclonal**
Isotype	**IgG1 Kappa**
Calculated MW	**21508**

NKIRAS2 Antibody (monoclonal) (M02) - Additional Information

Gene ID 28511

Other Names
NF-kappa-B inhibitor-interacting Ras-like protein 2, I-kappa-B-interacting Ras-like protein 2, Kappa B-Ras protein 2, KappaB-Ras2, NKIRAS2, KBRAS2

Target/Specificity
NKIRAS2 (AAH07450, 1 a.a. ~ 191 a.a) full-length recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.

Dilution
WB~~1:500~1000

Format
Clear, colorless solution in phosphate buffered saline, pH 7.2 .

Storage
Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Precautions
NKIRAS2 Antibody (monoclonal) (M02) is for research use only and not for use in diagnostic or therapeutic procedures.

NKIRAS2 Antibody (monoclonal) (M02) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot


10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture


NKIRAS2 Antibody (monoclonal) (M02) - Images



Antibody Reactive Against Recombinant Protein.Western Blot detection against Immunogen (46.75 KDa) .




NKIRAS2 monoclonal antibody (M02), clone 2G9 Western Blot analysis of NKIRAS2 expression in HeLa ((Cat # AT3055a)



Immunoperoxidase of monoclonal antibody to NKIRAS2 on formalin-fixed paraffin-embedded

10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

human tonsil. [antibody concentration 3 ug/ml]



Detection limit for recombinant GST tagged NKIRAS2 is approximately 1ng/ml as a capture antibody.

NKIRAS2 Antibody (monoclonal) (M02) - References

1.Estradiol suppresses NF-kappaB activation through coordinated regulation of let-7a and miR-125b in primary human macrophages.Murphy AJ, Guyre PM, Pioli PA.J Immunol. 2010 May 1;184(9):5029-37. Epub 2010 Mar 29.