

NUDT2 Antibody (monoclonal) (M01)

Mouse monoclonal antibody raised against a full length recombinant NUDT2. Catalog # AT3128a

Specification

NUDT2 Antibody (monoclonal) (M01) - Product Information

Application Primary Accession Other Accession Reactivity Host Clonality Isotype Calculated MW WB, E <u>P50583</u> <u>BC004926</u> Human mouse Monoclonal IgG1 kappa 16829

NUDT2 Antibody (monoclonal) (M01) - Additional Information

Gene ID 318

Other Names

Bis(5'-nucleosyl)-tetraphosphatase [asymmetrical], Diadenosine 5', 5'''-P1, P4-tetraphosphate asymmetrical hydrolase, Ap4A hydrolase, Ap4Aase, Diadenosine tetraphosphatase, Nucleoside diphosphate-linked moiety X motif 2, Nudix motif 2, NUDT2, APAH1

Target/Specificity NUDT2 (AAH04926, 1 a.a. ~ 147 a.a) full-length recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.

Dilution WB~~1:500~1000 E~~N/A

Format Clear, colorless solution in phosphate buffered saline, pH 7.2 .

Storage Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Precautions NUDT2 Antibody (monoclonal) (M01) is for research use only and not for use in diagnostic or therapeutic procedures.

NUDT2 Antibody (monoclonal) (M01) - Protocols


Provided below are standard protocols that you may find useful for product applications.

<u>Western Blot</u>




- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- <u>Cell Culture</u>

NUDT2 Antibody (monoclonal) (M01) - Images




Antibody Reactive Against Recombinant Protein.Western Blot detection against Immunogen (41.91 KDa).




NUDT2 monoclonal antibody (M01), clone 4A4-3C3 Western Blot analysis of NUDT2 expression in Jurkat ((Cat # AT3128a)





Western Blot analysis of NUDT2 expression in transfected 293T cell line by NUDT2 monoclonal antibody (M01), clone 4A4-3C3.

Lane 1: NUDT2 transfected lysate(16.8 KDa). Lane 2: Non-transfected lysate.



Detection limit for recombinant GST tagged NUDT2 is approximately 0.3ng/ml as a capture antibody.

NUDT2 Antibody (monoclonal) (M01) - Background

This gene encodes a member of the MutT family of nucleotide pyrophosphatases, a subset of the larger NUDIX hydrolase family. The gene product possesses a modification of the MutT sequence motif found in certain nucleotide pyrophosphatases. The enzyme asymmetrically hydrolyzes Ap4A to yield AMP and ATP and is responsible for maintaining the intracellular level of the dinucleotide Ap4A, the function of which has yet to be established. This gene may be a candidate tumor suppressor gene. Alternative splicing has been observed at this locus and three transcript variants, all encoding the same protein, have been identified.

NUDT2 Antibody (monoclonal) (M01) - References

1.Nudix-type motif 2 (NUDT2) in human breast carcinoma: A potent prognostic factor associated with cell proliferation.Oka K, Suzuki T, Onodera Y, Miki Y, Takagi K, Nagasaki S, Akahira JI, Ishida T, Watanabe M, Hirakawa H, Ohuchi N, Sasano H.Int J Cancer. 2010 Jun 9. [Epub ahead of print]