10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

PCDH1 Antibody (monoclonal) (M05)

Mouse monoclonal antibody raised against a partial recombinant PCDH1.
Catalog # AT3211a

Specification

PCDH1 Antibody (monoclonal) (M05) - Product Information

Application	**WB**
Primary Accession	Q08174
Other Accession	NM_002587
Reactivity	**Human**
Host	**mouse**
Clonality	**Monoclonal**
Isotype	**IgG2b Kappa**
Calculated MW	**114743**

PCDH1 Antibody (monoclonal) (M05) - Additional Information

Gene ID 5097

Other Names
Protocadherin-1, Cadherin-like protein 1, Protocadherin-42, PC42, PCDH1

Target/Specificity
PCDH1 (NP_002578, 62 a.a. ~ 169 a.a) partial recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.

Dilution
WB~~1:500~1000

Format
Clear, colorless solution in phosphate buffered saline, pH 7.2 .

Storage
Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Precautions
PCDH1 Antibody (monoclonal) (M05) is for research use only and not for use in diagnostic or therapeutic procedures.

PCDH1 Antibody (monoclonal) (M05) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry

10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

PCDH1 Antibody (monoclonal) (M05) - Images



Antibody Reactive Against Recombinant Protein.Western Blot detection against Immunogen (37.62 KDa) .

PCDH1 Antibody (monoclonal) (M05) - Background

This gene belongs to the protocadherin subfamily within the cadherin superfamily. The encoded protein is a membrane protein found at cell-cell boundaries. It is involved in neural cell adhesion, suggesting a possible role in neuronal development. The protein includes an extracelllular region, containing 7 cadherin-like domains, a transmembrane region and a C-terminal cytoplasmic region. Cells expressing the protein showed cell aggregation activity. Alternative splicing occurs in this gene.

PCDH1 Antibody (monoclonal) (M05) - References

Identification of PCDH1 as a novel susceptibility gene for bronchial hyperresponsiveness. Koppelman GH, et al. Am J Respir Crit Care Med, 2009 Nov 15. PMID 19729670.Signal sequence and keyword trap in silico for selection of full-length human cDNAs encoding secretion or membrane proteins from oligo-capped cDNA libraries. Otsuki T, et al. DNA Res, 2005. PMID 16303743.Immunoaffinity profiling of tyrosine phosphorylation in cancer cells. Rush J, et al. Nat Biotechnol, 2005 Jan. PMID 15592455.Phosphoproteomic analysis of the developing mouse brain. Ballif BA, et al. Mol Cell Proteomics, 2004 Nov. PMID 15345747.Functional proteomics mapping of a human signaling pathway. Colland F, et al. Genome Res, 2004 Jul. PMID 15231748.