

POU4F3 Antibody (monoclonal) (M01)**Mouse monoclonal antibody raised against a partial recombinant POU4F3.****Catalog # AT3386a****Specification**

POU4F3 Antibody (monoclonal) (M01) - Product Information

Application	IF, WB, E
Primary Accession	Q15319
Other Accession	NM_002700
Reactivity	Human
Host	mouse
Clonality	Monoclonal
Isotype	IgG1 Kappa
Calculated MW	37052

POU4F3 Antibody (monoclonal) (M01) - Additional Information**Gene ID** 5459**Other Names**

POU domain, class 4, transcription factor 3, Brain-specific homeobox/POU domain protein 3C, Brain-3C, Brn-3C, POU4F3, BRN3C

Target/Specificity

POU4F3 (NP_002691, 100 a.a. ~ 190 a.a) partial recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.

Dilution

WB~~1:500~1000

Format

Clear, colorless solution in phosphate buffered saline, pH 7.2 .

Storage

Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Precautions

POU4F3 Antibody (monoclonal) (M01) is for research use only and not for use in diagnostic or therapeutic procedures.


POU4F3 Antibody (monoclonal) (M01) - Protocols

Provided below are standard protocols that you may find useful for product applications.


- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)

- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)


POU4F3 Antibody (monoclonal) (M01) - Images



Immunofluorescence of monoclonal antibody to POU4F3 on HeLa cell. [antibody concentration 10 ug/ml]




Antibody Reactive Against Recombinant Protein. Western Blot detection against Immunogen (35.75 KDa) .



POU4F3 monoclonal antibody (M01), clone 5B8 Western Blot analysis of POU4F3 expression in


Hela S3 NE ((Cat # AT3386a)




Western Blot analysis of POU4F3 expression in transfected 293T cell line by POU4F3 monoclonal antibody (M01), clone 5B8.

Lane 1: POU4F3 transfected lysate(37.1 kDa).

Lane 2: Non-transfected lysate.



Western blot analysis of POU4F3 over-expressed 293 cell line, cotransfected with POU4F3 Validated Chimera RNAi ((Cat # AT3386a)



Detection limit for recombinant GST tagged POU4F3 is approximately 0.1ng/ml as a capture antibody.

POU4F3 Antibody (monoclonal) (M01) - Background

This gene encodes a member of the POU-domain family of transcription factors. POU-domain proteins have been observed to play important roles in control of cell identity in several systems. This protein is found in the retina and may play a role in determining or maintaining the identities of a small subset of visual system neurons. Defects in this gene are the cause of non-syndromic sensorineural deafness autosomal dominant type 15.

POU4F3 Antibody (monoclonal) (M01) - References

A novel frameshift mutation of POU4F3 gene associated with autosomal dominant non-syndromic hearing loss. Lee HK, et al. Biochem Biophys Res Commun, 2010 Jun 4. PMID 20434433. Molecular modelling insights into DFNA15 mediated enhancement of POU4F3 stability. Frenz CM, et al. Int J Comput Biol Drug Des, 2008. PMID 20054994. Mild and variable audiometric and vestibular features in a third DFNA15 family with a novel mutation in POU4F3. de Heer AM, et al. Ann Otol Rhinol Laryngol, 2009 Apr. PMID 19462854. Vestibular impairment in a Dutch DFNA15 family with an L289F mutation in POU4F3. van Drunen FJ, et al. Audiol Neurotol, 2009. PMID 19372648. Audiometric characteristics of a Dutch family linked to DFNA15 with a novel mutation (p.L289F) in POU4F3. Pauw RJ, et al. Arch Otolaryngol Head Neck Surg, 2008 Mar. PMID 18347256.