

pp9099 Antibody (monoclonal) (M03)**Mouse monoclonal antibody raised against a partial recombinant pp9099.****Catalog # AT3390a****Specification**

pp9099 Antibody (monoclonal) (M03) - Product Information

Application	WB, E
Primary Accession	Q8TD55
Other Accession	NM_025201
Reactivity	Human
Host	mouse
Clonality	Monoclonal
Isotype	IgG1 Kappa
Calculated MW	53350

pp9099 Antibody (monoclonal) (M03) - Additional Information**Gene ID** 80301**Other Names**

Pleckstrin homology domain-containing family O member 2, PH domain-containing family O member 2, Pleckstrin homology domain-containing family Q member 1, PH domain-containing family Q member 1, PLEKHO2, PLEKHQ1

Target/Specificity

pp9099 (NP_079477, 392 a.a. ~ 490 a.a) partial recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.

Dilution

WB~~1:500~1000

Format

Clear, colorless solution in phosphate buffered saline, pH 7.2 .

Storage

Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Precautions

pp9099 Antibody (monoclonal) (M03) is for research use only and not for use in diagnostic or therapeutic procedures.


pp9099 Antibody (monoclonal) (M03) - Protocols

Provided below are standard protocols that you may find useful for product applications.


- [Western Blot](#)
- [Blocking Peptides](#)

- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)


pp9099 Antibody (monoclonal) (M03) - Images



Antibody Reactive Against Recombinant Protein. Western Blot detection against Immunogen (36.63 kDa) .



pp9099 monoclonal antibody (M03), clone 3D9 Western Blot analysis of pp9099 expression in Jurkat (Cat # AT3390a)



Detection limit for recombinant GST tagged pp9099 is approximately 0.03 ng/ml as a capture antibody.

pp9099 Antibody (monoclonal) (M03) - References

Complete sequencing and characterization of 21,243 full-length human cDNAs. Ota T, et al. Nat Genet, 2004 Jan. PMID 14702039. Generation and initial analysis of more than 15,000 full-length human and mouse cDNA sequences. Strausberg RL, et al. Proc Natl Acad Sci U S A, 2002 Dec 24. PMID 12477932.