

PX19 Antibody (monoclonal) (M01)**Mouse monoclonal antibody raised against a partial recombinant PX19.****Catalog # AT3504a****Specification**

PX19 Antibody (monoclonal) (M01) - Product Information

Application	WB, IHC, E
Primary Accession	O9Y255
Other Accession	NM_013237
Reactivity	Human
Host	mouse
Clonality	Monoclonal
Isotype	IgG1 Kappa
Calculated MW	25181

PX19 Antibody (monoclonal) (M01) - Additional Information**Gene ID** 27166**Other Names**

PRELI domain-containing protein 1, mitochondrial, 25 kDa protein of relevant evolutionary and lymphoid interest, Px19-like protein, PRELID1, PRELI

Target/Specificity

PX19 (NP_037369, 3 a.a. ~ 100 a.a) partial recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.

Dilution

WB~~1:500~1000

IHC~~1:100~500

E~~N/A

Format

Clear, colorless solution in phosphate buffered saline, pH 7.2 .

Storage

Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Precautions

PX19 Antibody (monoclonal) (M01) is for research use only and not for use in diagnostic or therapeutic procedures.


PX19 Antibody (monoclonal) (M01) - Protocols

Provided below are standard protocols that you may find useful for product applications.


- [Western Blot](#)

- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)


PX19 Antibody (monoclonal) (M01) - Images




Antibody Reactive Against Recombinant Protein. Western Blot detection against Immunogen (36.52 KDa) .



PX19 monoclonal antibody (M01), clone 7B4 Western Blot analysis of PX19 expression in HeLa (Cat # AT3504a)



Immunoperoxidase of monoclonal antibody to PX19 on formalin-fixed paraffin-embedded human lung. [antibody concentration 3 ug/ml]



Detection limit for recombinant GST tagged PX19 is approximately 3ng/ml as a capture antibody.

PX19 Antibody (monoclonal) (M01) - References

Toward a confocal subcellular atlas of the human proteome. Barbe L, et al. Mol Cell Proteomics, 2008 Mar. PMID 18029348. The status, quality, and expansion of the NIH full-length cDNA project: the Mammalian Gene Collection (MGC). Gerhard DS, et al. Genome Res, 2004 Oct. PMID 15489334. PRELI (protein of relevant evolutionary and lymphoid interest) is located within an evolutionarily conserved gene cluster on chromosome 5q34-q35 and encodes a novel mitochondrial protein. Fox EJ, et al. Biochem J, 2004 Mar 15. PMID 14640972. Generation and initial analysis of more than 15,000 full-length human and mouse cDNA sequences. Strausberg RL, et al. Proc Natl Acad Sci U S A, 2002 Dec 24. PMID 12477932. Gene expression profiling in the human hypothalamus-pituitary-adrenal axis and full-length cDNA cloning. Hu RM, et al. Proc Natl Acad Sci U S A, 2000 Aug 15. PMID 10931946.