

RFNG Antibody (monoclonal) (M08)**Mouse monoclonal antibody raised against a partial recombinant RFNG.****Catalog # AT3623a****Specification**

RFNG Antibody (monoclonal) (M08) - Product Information

Application	WB, IF
Primary Accession	O9Y644
Other Accession	U94353.1
Reactivity	Human
Host	mouse
Clonality	Monoclonal
Isotype	IgG1 Kappa
Calculated MW	36424

RFNG Antibody (monoclonal) (M08) - Additional Information**Gene ID** 5986**Other Names**Beta-1, 3-N-acetylglucosaminyltransferase radical fringe, O-fucosylpeptide
3-beta-N-acetylglucosaminyltransferase, RFNG**Target/Specificity**

RFNG (AAC51359.1, 82 a.a. ~ 190 a.a) partial recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.

Dilution

WB~~1:500~1000

IF~~1:50~200

Format

Clear, colorless solution in phosphate buffered saline, pH 7.2 .

Storage

Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Precautions

RFNG Antibody (monoclonal) (M08) is for research use only and not for use in diagnostic or therapeutic procedures.


RFNG Antibody (monoclonal) (M08) - Protocols

Provided below are standard protocols that you may find useful for product applications.


- [Western Blot](#)
- [Blocking Peptides](#)

- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)


RFNG Antibody (monoclonal) (M08) - Images



Immunofluorescence of monoclonal antibody to RFNG on HepG2 cell. [antibody concentration 10 ug/ml]



Antibody Reactive Against Recombinant Protein. Western Blot detection against Immunogen (37.73 KDa) .



RFNG monoclonal antibody (M08), clone 6C7 Western Blot analysis of RFNG expression in HepG2
((Cat # AT3623a)