

RP2 Antibody (monoclonal) (M02)
Mouse monoclonal antibody raised against a partial recombinant RP2.
Catalog # AT3696a

Specification

RP2 Antibody (monoclonal) (M02) - Product Information

Application	WB, E
Primary Accession	O75695
Other Accession	NM_006915
Reactivity	Human
Host	mouse
Clonality	Monoclonal
Isotype	IgG2b Kappa
Calculated MW	39641

RP2 Antibody (monoclonal) (M02) - Additional Information

Gene ID 6102

Other Names

Protein XRP2, RP2

Target/Specificity

RP2 (NP_008846, 251 a.a. ~ 350 a.a) partial recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.

Dilution

WB~~1:500~1000

Format

Clear, colorless solution in phosphate buffered saline, pH 7.2 .

Storage

Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Precautions

RP2 Antibody (monoclonal) (M02) is for research use only and not for use in diagnostic or therapeutic procedures.


RP2 Antibody (monoclonal) (M02) - Protocols

Provided below are standard protocols that you may find useful for product applications.


- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)

- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)


RP2 Antibody (monoclonal) (M02) - Images



Antibody Reactive Against Recombinant Protein. Western Blot detection against Immunogen (36.74 kDa) .




RP2 monoclonal antibody (M02), clone 5C10 Western Blot analysis of RP2 expression in Hela S3 NE ((Cat # AT3696a)



Western Blot analysis of RP2 expression in transfected 293T cell line by RP2 monoclonal antibody (M02), clone 5C10.

Lane 1: RP2 transfected lysate(39.6 KDa).

Lane 2: Non-transfected lysate.



Detection limit for recombinant GST tagged RP2 is approximately 0.03ng/ml as a capture antibody.