

RUNX2 Antibody (monoclonal) (M05)

Mouse monoclonal antibody raised against a partial recombinant RUNX2. Catalog # AT3744a

Specification

RUNX2 Antibody (monoclonal) (M05) - Product Information

Application Primary Accession Other Accession Reactivity Host Clonality Isotype Calculated MW WB, IHC, IF, E <u>Q13950</u> <u>NM_004348</u> Human mouse Monoclonal IgG2a Kappa 56648

RUNX2 Antibody (monoclonal) (M05) - Additional Information

Gene ID 860

Other Names

Runt-related transcription factor 2, Acute myeloid leukemia 3 protein, Core-binding factor subunit alpha-1, CBF-alpha-1, Oncogene AML-3, Osteoblast-specific transcription factor 2, OSF-2, Polyomavirus enhancer-binding protein 2 alpha A subunit, PEA2-alpha A, PEBP2-alpha A, SL3-3 enhancer factor 1 alpha A subunit, SL3/AKV core-binding factor alpha A subunit, RUNX2, AML3, CBFA1, OSF2, PEBP2A

Target/Specificity RUNX2 (NP_004339, 251 a.a. ~ 350 a.a) partial recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.

Dilution WB~~1:500~1000 IHC~~1:100~500 IF~~1:50~200 E~~N/A

Format Clear, colorless solution in phosphate buffered saline, pH 7.2 .

Storage

Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Precautions

RUNX2 Antibody (monoclonal) (M05) is for research use only and not for use in diagnostic or therapeutic procedures.

RUNX2 Antibody (monoclonal) (M05) - Protocols




Provided below are standard protocols that you may find useful for product applications.

- <u>Western Blot</u>
- <u>Blocking Peptides</u>
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- <u>Cell Culture</u>

RUNX2 Antibody (monoclonal) (M05) - Images




Immunofluorescence of monoclonal antibody to RUNX2 on U-2 OS cell . [antibody concentration 10 ug/ml]




Antibody Reactive Against Recombinant Protein.Western Blot detection against Immunogen (36.74 KDa).





Immunoperoxidase of monoclonal antibody to RUNX2 on formalin-fixed paraffin-embedded human placenta. [antibody concentration 3 ug/ml]





Detection limit for recombinant GST tagged RUNX2 is approximately 0.3ng/ml as a capture antibody.

RUNX2 Antibody (monoclonal) (M05) - Background

This gene is a member of the RUNX family of transcription factors and encodes a nuclear protein with an Runt DNA-binding domain. This protein is essential for osteoblastic differentiation and skeletal morphogenesis and acts as a scaffold for nucleic acids and regulatory factors involved in skeletal gene expression. The protein can bind DNA both as a monomer or, with more affinity, as a subunit of a heterodimeric complex. Mutations in this gene have been associated with the bone development disorder cleidocranial dysplasia (CCD). Transcript variants that encode different protein isoforms result from the use of alternate promoters as well as alternate splicing.

RUNX2 Antibody (monoclonal) (M05) - References

1.Relative impact of uniaxial alignment vs. form-induced stress on differentiation of human adipose derived stem cells.Qu X, Zhu W, Huang S, Li YS, Chien S, Zhang K, Chen SBiomaterials. 2013 Dec;34(38):9812-8. doi: 10.1016/j.biomaterials.2013.09.009. Epub 2013 Sep 20.