

**SH3BP4 Antibody (monoclonal) (M11)****Mouse monoclonal antibody raised against a partial recombinant SH3BP4.****Catalog # AT3870a****Specification**

---

**SH3BP4 Antibody (monoclonal) (M11) - Product Information**

|                   |                          |
|-------------------|--------------------------|
| Application       | WB, E                    |
| Primary Accession | <a href="#">Q9P0V3</a>   |
| Other Accession   | <a href="#">BC057396</a> |
| Reactivity        | Human                    |
| Host              | mouse                    |
| Clonality         | Monoclonal               |
| Isotype           | IgG2b Kappa              |
| Calculated MW     | 107496                   |

**SH3BP4 Antibody (monoclonal) (M11) - Additional Information****Gene ID** 23677**Other Names**

SH3 domain-binding protein 4, EH-binding protein 10, Transferrin receptor-trafficking protein, SH3BP4, BOG25, EHB10, TTP

**Target/Specificity**

SH3BP4 (AAH57396, 1 a.a. ~ 110 a.a) partial recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.

**Dilution**

WB~~1:500~1000

E~~N/A

**Format**

Clear, colorless solution in phosphate buffered saline, pH 7.2 .

**Storage**

Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

**Precautions**

SH3BP4 Antibody (monoclonal) (M11) is for research use only and not for use in diagnostic or therapeutic procedures.


**SH3BP4 Antibody (monoclonal) (M11) - Protocols**

Provided below are standard protocols that you may find useful for product applications.


- [Western Blot](#)
- [Blocking Peptides](#)

- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

### SH3BP4 Antibody (monoclonal) (M11) - Images



Antibody Reactive Against Recombinant Protein. Western Blot detection against Immunogen (37.51 kDa) .



Detection limit for recombinant GST tagged SH3BP4 is approximately 1ng/ml as a capture antibody.

### SH3BP4 Antibody (monoclonal) (M11) - Background

This gene encodes a protein with 3 Asn-Pro-Phe (NPF) motifs, an SH3 domain, a PXXP motif, a bipartite nuclear targeting signal, and a tyrosine phosphorylation site. This protein is involved in cargo-specific control of clathrin-mediated endocytosis, specifically controlling the internalization of a specific protein receptor.

### SH3BP4 Antibody (monoclonal) (M11) - References

Personalized smoking cessation: interactions between nicotine dose, dependence and quit-success genotype score. Rose JE, et al. Mol Med, 2010 Jul-Aug. PMID 20379614. Identification of multi-SH3 domain-containing protein interactome in pancreatic cancer: a yeast two-hybrid approach. Thalappilly S, et al. Proteomics, 2008 Aug. PMID 18654987. Large-scale mapping of human protein-protein interactions by mass spectrometry. Ewing RM, et al. Mol Syst Biol, 2007. PMID 17353931. A probability-based approach for high-throughput protein phosphorylation analysis and site localization. Beausoleil SA, et al. Nat Biotechnol, 2006 Oct. PMID 16964243. TTP specifically regulates the internalization of the transferrin receptor. Tosoni D, et al. Cell, 2005 Dec 2. PMID

16325581.