

TNFSF14 Antibody (monoclonal) (M01)

Mouse monoclonal antibody raised against a partial recombinant TNFSF14. Catalog # AT4288a

Specification

TNFSF14 Antibody (monoclonal) (M01) - Product Information

IP, WB, IHC, E Application **Primary Accession** 043557 Other Accession BC018058 Reactivity Human Host mouse Clonality **Monoclonal** Isotype IgG2a Kappa Calculated MW 26350

TNFSF14 Antibody (monoclonal) (M01) - Additional Information

Gene ID 8740

Other Names

Tumor necrosis factor ligand superfamily member 14, Herpes virus entry mediator ligand, HVEM-L, Herpesvirus entry mediator ligand, CD258, Tumor necrosis factor ligand superfamily member 14, membrane form, Tumor necrosis factor ligand superfamily member 14, soluble form, TNFSF14, HVEML, LIGHT

Target/Specificity

TNFSF14 (AAH18058, 61 a.a. \sim 170 a.a) partial recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.

Dilution

WB~~1:500~1000

Format

Clear, colorless solution in phosphate buffered saline, pH 7.2.

Storage

Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Precautions

TNFSF14 Antibody (monoclonal) (M01) is for research use only and not for use in diagnostic or therapeutic procedures.

TNFSF14 Antibody (monoclonal) (M01) - Protocols


Provided below are standard protocols that you may find useful for product applications.

• Western Blot




- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

TNFSF14 Antibody (monoclonal) (M01) - Images




Immunoprecipitation of TNFSF14 transfected lysate using anti-TNFSF14 monoclonal antibody and Protein A Magnetic Bead ($\underline{\mathsf{U0007}}$), and immunoblotted with TNFSF14 MaxPab rabbit polyclonal antibody.



Antibody Reactive Against Recombinant Protein. Western Blot detection against Immunogen $(37.73 \; \text{KDa})$.







Western Blot analysis of TNFSF14 expression in transfected 293T cell line by TNFSF14 monoclonal antibody (M01), clone 4E3.

Lane 1: TNFSF14 transfected lysate(22.4 KDa).

Lane 2: Non-transfected lysate.



Immunoperoxidase of monoclonal antibody to TNFSF14 on formalin-fixed paraffin-embedded human spleen. [antibody concentration 3 ug/ml]



Detection limit for recombinant GST tagged TNFSF14 is approximately 1ng/ml as a capture antibody.

TNFSF14 Antibody (monoclonal) (M01) - Background

The protein encoded by this gene is a member of the tumor necrosis factor (TNF) ligand family. This protein is a ligand for TNFRSF14, which is a member of the tumor necrosis factor receptor superfamily, and which is also known as a herpesvirus entry mediator (HVEM). This protein may function as a costimulatory factor for the activation of lymphoid cells and as a deterrent to infection





Tel: 858.875.1900 Fax: 858.875.1999

by herpesvirus. This protein has been shown to stimulate the proliferation of T cells, and trigger apoptosis of various tumor cells. This protein is also reported to prevent tumor necrosis factor alpha mediated apoptosis in primary hepatocyte. Two alternatively spliced transcript variant encoding distinct isoforms have been reported. [provided by RefSeq]