

YWHAG Antibody (monoclonal) (M02)

Mouse monoclonal antibody raised against a partial recombinant YWHAG. Catalog # AT4560a

Specification

YWHAG Antibody (monoclonal) (M02) - Product Information

Application Primary Accession Other Accession Reactivity Host Clonality Isotype Calculated MW WB <u>P61981</u> <u>NM_012479</u> Human, Mouse, Rat mouse Monoclonal IgG2b Kappa 28303

YWHAG Antibody (monoclonal) (M02) - Additional Information

Gene ID 7532

Other Names 14-3-3 protein gamma, Protein kinase C inhibitor protein 1, KCIP-1, 14-3-3 protein gamma, N-terminally processed, YWHAG

Target/Specificity YWHAG (NP_036611, 70 a.a. ~ 169 a.a) partial recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.

Dilution WB~~1:500~1000

Format Clear, colorless solution in phosphate buffered saline, pH 7.2 .

Storage Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Precautions YWHAG Antibody (monoclonal) (M02) is for research use only and not for use in diagnostic or therapeutic procedures.

YWHAG Antibody (monoclonal) (M02) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- <u>Western Blot</u>
- Blocking Peptides
- <u>Dot Blot</u>



- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- <u>Cell Culture</u>

YWHAG Antibody (monoclonal) (M02) - Images



Antibody Reactive Against Recombinant Protein.Western Blot detection against Immunogen (36.74 KDa).



YWHAG monoclonal antibody (M02), clone 6A10. Western Blot analysis of YWHAG expression in PC-12 ((Cat # AT4560a)





YWHAG monoclonal antibody (M02), clone 6A10. Western Blot analysis of YWHAG expression in IMR-32 ((Cat # AT4560a)



YWHAG monoclonal antibody (M02), clone 6A10. Western Blot analysis of YWHAG expression in Raw 264.7 ((Cat # AT4560a)



YWHAG monoclonal antibody (M02), clone 6A10. Western Blot analysis of YWHAG expression in NIH/3T3 ((Cat # AT4560a)



YWHAG monoclonal antibody (M02), clone 6A10 Western Blot analysis of YWHAG expression in K-562 ((Cat # AT4560a)





Detection limit for recombinant GST tagged YWHAG is approximately 0.3ng/ml as a capture antibody.

YWHAG Antibody (monoclonal) (M02) - Background

This gene product belongs to the 14-3-3 family of proteins which mediate signal transduction by binding to phosphoserine-containing proteins. This highly conserved protein family is found in both plants and mammals, and this protein is 100% identical to the rat ortholog. It is induced by growth factors in human vascular smooth muscle cells, and is also highly expressed in skeletal and heart muscles, suggesting an important role for this protein in muscle tissue. It has been shown to interact with RAF1 and protein kinase C, proteins involved in various signal transduction pathways.

YWHAG Antibody (monoclonal) (M02) - References

Centrosome-related genes, genetic variation, and risk of breast cancer. Olson JE, et al. Breast Cancer Res Treat, 2010 May 28. PMID 20508983.The expression of seven 14-3-3 isoforms in human meningioma. Liu Y, et al. Brain Res, 2010 Jun 8. PMID 20388496.Sex-specific proteome differences in the anterior cingulate cortex of schizophrenia. Martins-de-Souza D, et al. J Psychiatr Res, 2010 Apr 8. PMID 20381070.Zebrafish gene knockdowns imply roles for human YWHAG in infantile spasms and cardiomegaly. Komoike Y, et al. Genesis, 2010 Apr. PMID 20146355.Three-way interaction between 14-3-3 proteins, the N-terminal region of tyrosine hydroxylase, and negatively charged membranes. Halskau ? Jr, et al. J Biol Chem, 2009 Nov 20. PMID 19801645.